



## Specifications

# SMART electric height-adjustable mobile stand


Model FSE-300

## Overview

Designed for the entire line of SMART Board displays in North America, the SMART electric height-adjustable mobile stand features 20 3/4" (52.7 cm) of powered height adjustment with a safety bounce-back feature that reverses direction briefly when an obstruction is detected. With its wide footprint and sturdy aluminum frame, the stand supports displays up to 86" (218 cm) diagonal and 225 lb. (102 kg). You can easily roll the stand across smooth floors and secure it in place with the locking casters. The stand includes an integrated power bar with surge protection.

## Dimensions and weights<sup>1</sup>

### Dimensions



### Weight

64 lb. (29 kg)

### Shipping dimensions

47 1/2" W × 40 1/8" H × 7" D.  
(120.7 cm × 101.9 cm × 17.8 cm)

### Shipping weight

72 lb. (32.7 kg)

<sup>1</sup>All dimensions ± 1/8" (0.3 cm). All weights ± 2 lb. (0.9 kg).

## Hardware

### Height adjustment

Range	20 3/4" (52.7 cm)
Maximum extended height	79 7/8" (202.9 cm)
Minimum extended height	57 7/8" (147.1 cm)
Maximum lift capacity	225 lb. (102 kg)
Maximum display size	Supports displays up to 86" (218 cm) diagonal and 80" (203 cm) wide

### Power bar

Surge protection	1150 joule
Outlets	Four standard outlets and two wide-spaced outlets for transformer plugs
Cable length	15' (4.6 m) with a low-profile plug

### Components

Wheels	4" (10.2 cm) urethane plate-mounted locking casters
Mounting	VESA® mounting pattern: 300 mm × 600 mm to 800 mm × 600 mm

## Storage and operating requirements

### Power consumption

Supply voltage	100V–120V AC, 60 Hz
Nominal voltage	120V AC, 60 Hz

### Power consumption

Raising a display (maximum load)	360 W
Standby mode	<5 W
Duty cycle	2/18 (2 minutes of operation, 18 minutes of rest)

**Operating temperature** 41–86°F (5–30°C)

**Storage temperature** 14–113°F (-10–45°C)

**Humidity** 5–80% relative humidity, non-condensing

## Certification and compliance

**Regulatory certification** UL, FCC

**Other** ADA

## Purchasing information

**Order numbers**

FSE-300                      SMART electric height-adjustable mobile stand

---

**Optional accessories**                      See [smarttech.com/accessories](http://smarttech.com/accessories)

---

**Warranty**                                      Three-year limited equipment warranty

---

[smarttech.com/support](http://smarttech.com/support)  
[smarttech.com/contactsupport](http://smarttech.com/contactsupport)

© 2018 SMART Technologies ULC. All rights reserved. SMART Board, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. All third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: [www.smarttech.com/patents](http://www.smarttech.com/patents). Contents are subject to change without notice. 05/2018.