

Education Software Installer 2011

Windows® operating systems

System administrator's guide

Extraordinary made simple™

| **SMART™**

Trademark notice

SMART Notebook, SMART Document Camera, SMART Response, SMART Sync, SMART Classroom Suite, Senteo, SMART Board, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. Windows, Windows Vista, Internet Explorer, ActiveX and DirectX are either registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other third-party product and company names may be trademarks of their respective owners.

Copyright notice

© 2011 SMART Technologies ULC. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language in any form by any means without the prior written consent of SMART Technologies ULC. Information in this manual is subject to change without notice and does not represent a commitment on the part of SMART.

One or more of the following patents: US6320597; US6326954; US6741267; US7151533; US7757001; USD612396; USD616462; USD617332; and USD636784. Other patents pending.

10/2011

Installation overview

<input type="checkbox"/>	Task	Reference
<input type="checkbox"/>	Ensure your computers meet the minimum requirements.	page 2
<input type="checkbox"/>	Obtain the installation packages and supporting files.	page 3
<input type="checkbox"/>	If previous versions of the software are installed on your computer, remove them.	page 73
<input type="checkbox"/>	Customize the installation packages using SMART Install Manager. OR Customize the installation packages using a third-party tool.	page 5 OR page 16
<input type="checkbox"/>	Deploy the installation packages.	page 17
<input type="checkbox"/>	If the software didn't activate during installation, activate it.	page 20

Please send any feedback on this guide to DocumentationFeedback@smarttech.com.

Contents

Installation overview	i
Chapter 1: Getting started	1
Computer requirements	2
Installation packages and supporting files	3
Chapter 2: Customizing installation packages	5
Using SMART Install Manager	5
Using third-party tools	16
Chapter 3: Deploying the software	17
Using the command line interface	17
Using third-party imaging or remote management software	19
Activating the software after installation	20
Chapter 4: Updating the software	27
Using a Windows Installer update installation package (MSI file)	28
Using a Windows Installer patch (MSP file)	29
Chapter 5: Removing the software	31
Using the command line interface	31
Using third-party imaging or remote management software	36
Appendix A: Windows Installer properties and parameters	37
Properties	37
Parameters	50
Examples	50
Appendix B: Language files and codes	53
Installation language files and codes	53
Language packs	54
Appendix C: Installing and maintaining Gallery content	57
Installing Gallery content	58
Modifying Gallery content	63
Changing Gallery content locations	69
Appendix D: Removing previous versions	73
Removing SMART Board software 9.x	73
Removing SMART Board software 8.x	74

CONTENTS

Removing SMART Board software 7.x.....	76
Cleaning the registry.....	77
Index.....	79

Chapter 1

Getting started

Computer requirements.....	2
Installation packages and supporting files.....	3
Installation packages.....	3
Language files.....	4

This guide explains how to customize and deploy the following software:

- SMART Notebook™ collaborative learning software 10.8
- SMART Notebook Math Tools
- Mixed Reality Tools for SMART Document Camera™
- SMART Product Drivers 10.8
- SMART Response™ 2011 assessment software
- SMART Sync™ 2011 Teacher software
- SMART Classroom Suite™ 2011 Teacher software
- Common platform

i NOTES

- For information on customizing and deploying previous versions of this software, see the appropriate system administrator's guides at smarttech.com/support.
- For information on installing SMART Sync Student software, SMART Sync Class List Server and SMART Administrator Tools - Classlist Manager, see the *SMART Sync 2011 system administrator's guide* (smarttech.com/kb/160490) or the *SMART Classroom Suite 2011 system administrator's guide* (smarttech.com/kb/160522).

CHAPTER 1

Getting started

This guide is intended for IT administrators and others experienced with customizing, deploying and administering Windows® software in a networked environment. To use this guide, you must:

- Know IT terminology such as “registry” and “domain controller”
- Know how to complete basic administrative tasks in Windows operating systems such as modifying the registry
- Have administrative privileges and access to servers
- Have access to the DVD or have Internet access



IMPORTANT

You must run the commands documented in this guide in an *Administrator Command Prompt* window. To open an *Administrator Command Prompt* window, right-click the **Command Prompt** icon, and then select **Run as Administrator**.

Computer requirements

Before you install the software, ensure your teachers’ computers meet the minimum requirements:

- Pentium® 4 processor or better
- 512 MB of RAM (1 GB recommended)
- Free hard disk space:

Software	Space required
SMART Notebook software	277 MB
Gallery Essentials	549 MB
Lesson Activity Toolkit	111 MB
SMART Product Drivers	145 MB
SMART Response assessment software	47 MB
SMART Sync Teacher software	37 MB
Common platform	62 MB
Total	1228 MB

- Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system
- Adobe®Flash® Player 10 ActiveX® control for SMART Notebook software
- Adobe Flash Player 10 Firefox® plug-in for SMART Response assessment software
- DirectX® technology 8.1 or later for SMART Video Player
- DirectX 9 compatible graphics hardware for Mixed Reality Tools

i NOTE

If you're deploying SMART software to Windows XP or Windows Vista computers, you must first install Windows Installer 4.5 on these computers. You can download Windows Installer 4.5 from support.microsoft.com/kb/942288.

Installation packages and supporting files

Before you can customize or deploy SMART software, you must locate the installation packages and supporting files.

Installation packages

There are three installation packages (also known as an MSI files) for the Education Software Installer:

Installation package	File name
Education Software Installer	SMART Education Software 2011.msi
AdobeFlash Player ActiveX control (for SMART Notebook software)	install_flash_player_10_active_x.msi
Adobe Flash Player plug-in (for SMART Response assessment software)	install_flash_player_10_plugin.msi

i IMPORTANT

SMART recommends that you deploy SMART software using the **SMART Education Software 2011.msi** installation package. However, if you choose to deploy the software using individual installation packages, you need to do the following:

- Deploy the **SMART Common Platform.msi** file first.
- If you use a custom value for the **INSTALLDIR** property, ensure this value is identical across all the installation packages.

The **SMART Education Software 2011.msi** file is located on the DVD in **[DVD drive]:\Administrators\Windows\Education Software Install**. The Adobe Flash Player files are located on the DVD in **[DVD drive]:\Administrators\Windows\Education Software Install\Support**

Alternatively, you can download the packages from smarttech.com/administratordownloads.

Save the packages in a location on your network that's accessible to all computers on which you plan to install the software.

CHAPTER 1

Getting started

Language files

If you plan to deploy the installation packages in a language other than English (U.S.), ensure the corresponding MST file for the language is in the same folder as the MSI file (see *Installation language files and codes* on page 53).

Similarly, if you want users to be able to view and use the software in a language other than English, you must download and install the appropriate language pack (see *Language packs* on page 54).

These language packs are located on the DVD under

[DVD drive]:\Administrators\Windows\Education Software Install\Support\Languages.

Chapter 2

Customizing installation packages

Using SMART Install Manager.....	5
Installing SMART Install Manager.....	5
Using SMART Install Manager.....	6
Opening an installation package.....	6
Saving your changes.....	7
Publishing your changes as an MST file.....	7
Customizing the installation package.....	8
Using third-party tools.....	16

You can customize installation packages using SMART Install Manager.

OR

You can customize installation packages using third-party tools and Windows Installer properties.

Using SMART Install Manager

SMART Install Manager enables you to customize SMART software installation packages (also known as MSI files) by publishing MST files. You can then deploy the MSI and MST files to computers using third-party imaging or remote management software.

Installing SMART Install Manager

Install SMART Install Manager from the DVD.

OR

Download and install SMART Install Manager from the SMART Support website.

To install SMART Install Manager from the DVD

1. Insert the DVD in your computer's DVD drive.

A dialog box appears.

NOTE

If the dialog box doesn't appear, browse to and open *[DVD drive]\CDBrowser.exe* in Windows Explorer.

2. Click **Administrator Preparation and Tools**, and then click **Install SMART Install Manager**.

The SMART Install Manager installation wizard appears.

3. Follow the on-screen instructions.

To install SMART Install Manager from the website

1. Go to smarttech.com/administratordownloads.
2. Scroll to *SMART Notebook collaborative learning software*, click **Choose a version**, and then select **SMART Notebook software > 10.8 for Windows**.
3. Click **Download SMART Install Manager**, and then click **Download**.
4. Save the **Install Manager.exe** file to your computer.
5. Double-click the **Install Manager.exe** file.

The SMART Install Manager installation wizard appears.

6. Follow the on-screen instructions.

Using SMART Install Manager

After you install SMART Install Manager, shortcuts to the software appear on the desktop and in the Start menu under **All Programs > SMART Technologies > SMART Install Manager**.

With SMART Install Manager, you can do the following:

- Open and customize an installation package.
- Save your changes to the installation package as an XML file.
- Publish your changes to the installation packages as an MST file.

Opening an installation package

To customize an installation package, drag its MSI file into the SMART Install Manager window.

Alternatively, you can search for installation packages on your computer by clicking  , or on CDs or DVDs by clicking .


CHAPTER 2

Customizing installation packages

i NOTE

All installation packages you've previously opened in SMART Install Manager appear in the *Unmodified Packages* tab.

After you open an installation package, a set of pages for that installation package appears in SMART Install Manager. Customize the installation package using the controls on these pages.



Saving your changes

After you customize an installation package, save your changes as an XML file by selecting **File > Save As**. When you next start SMART Install Manager, load the XML file by selecting **File > Open**, or by opening the MSI file and then selecting **File > Import**.

Publishing your changes as an MST file

The final step in using SMART Install Manager to customize an installation package is to publish your changes as an MST file. To do this, select **File > Publish**, and then use the dialog box to define a location for and create the MST file.

💡 TIP

Publish the MST file in the same location as the MSI file.

CHAPTER 2

Customizing installation packages

Customizing the installation package

To customize the installation package, open the **SMART Education Software 2011.msi** file in SMART Install Manager (see *Using SMART Install Manager* on page 6), and then set the controls on each page.

Control	Procedure	Notes
General Options: Product Selection		
Activate software during installation	Select to activate the software automatically during installation rather than manually after installation.	You must include the product key properties for the software you are installing for this property to work. For mass activation information, see <i>Activating the software after installation</i> on page 20.
SMART Product Drivers	Select to install SMART Product Drivers.	
SMART Notebook software	Select to install SMART Notebook software.	
Product key	Type your 22-character product key for SMART Notebook software.	You can type the product key with or without hyphens. When you type a volume product key, the software activates when you deploy it to your network computers.
SMART Response software	Select to install SMART Response software.	If you choose to install SMART Response software, you must also install and activate SMART Notebook software. When you select this check box, SMART Install Manager automatically selects the SMART Notebook check box.
Product key	If you're installing SMART Response software and students use SMART Notebook SE (Student Edition) software or SMART Response VE Internet-enabled devices to answer questions, type your 22-character product key for SMART Response software.	You can type the product key with or without hyphens. When you type a volume product key, the software activates when you deploy it to your network computers.

CHAPTER 2

Customizing installation packages

Control	Procedure	Notes
SMART Notebook Math Tools	Select to install SMART Notebook Math Tools.	If you choose to install SMART Notebook Math Tools, you must also install and activate SMART Notebook software. If you install SMART Notebook software but don't install SMART Notebook Math Tools or Mixed Reality Tools, you're unable to deploy this software at a later date using the Education Software Installer installation package.
Product key	Type your 22-character product key for SMART Notebook Math Tools.	You can type the product key with or without hyphens. When you type a volume product key, the software activates when you deploy it to your network computers.
SMART Document Camera Mixed Reality Tools	Select to install Mixed Reality Tools.	If you choose to install Mixed Reality Tools, you must also install and activate SMART Notebook software. If you install SMART Notebook software but don't install SMART Notebook Math Tools or Mixed Reality Tools, you're unable to deploy this software at a later date using the Education Software Installer installation package.
Product key	Type your 22-character product key for Mixed Reality Tools.	You can type the product key with or without hyphens. When you type a volume product key, the software activates when you deploy it to your network computers.
SMART Sync Teacher software	Select to install SMART Sync Teacher software.	

CHAPTER 2

Customizing installation packages

Control	Procedure	Notes
Product key	Type your 22-character product key for SMART Sync Teacher software.	You can type the product key with or without hyphens. When you type a volume product key, the software activates when you deploy it to your network computers.
SMART Classroom Suite software	Select to install SMART Classroom Suite Teacher software.	When you select this check box, SMART Install Manager automatically selects the SMART Notebook , SMART Product Drivers , SMART Response and SMART Sync Teacher check boxes. (These programs are part of SMART Classroom Suite Teacher software.)
Product key	Type your 22-character product key for SMART Classroom Suite Teacher software.	You can type the product key with or without hyphens. When you type a volume product key, the software activates when you deploy it to your network computers.
General Options: Installation Options		
Installation directory	Type the path to your preferred folder for the software.	If you specify a folder, include a back slash (\) at the end of the path. If you don't specify a folder, Windows Installer installs the software in [Program files]\SMART Technologies\ Education Software where [Program files] is C:\Program Files for 32-bit versions of Windows operating systems or C:\Program File (x86) for 64-bit versions of Windows operating systems. Ensure the folder path is valid. SMART Install Manager doesn't verify the folder path.
Install Start menu and desktop shortcuts	Select to create shortcuts in the Start menu and on the desktop.	

CHAPTER 2

Customizing installation packages

Control	Procedure	Notes
General Options: Language Selection		
Select the language packs you want to install	Select the check boxes of the language packs you want to install.	Some SMART software doesn't support all listed languages. SMART Sync Teacher software language support is managed separately.
General Options: SMART Product Update Options		
Install SMART Product Update in Full Mode	Select to install SMART Product Update (SPU) in Full mode.	In Full mode, users can view currently installed versions of SMART software and their product keys, and download and install updates.
Install SMART Product Update in Dashboard Mode	Select to install SPU in Dashboard mode.	In Dashboard mode, users can view only currently installed versions of SMART software and their product keys.
Do not install SMART Product Update	Select to not install SPU.	
Check for updates	Type the number of days (1 to 60) between SPU checks.	This option is available only if you install SPU in Full mode. By default, SPU checks for product updates every 30 days.
Notify users about SMART product updates	Select to notify users of available SMART product updates through the Windows notification area.	This option is available only if you install SPU in Full mode.
SMART Notebook: Gallery Content		
See <i>Installing and maintaining Gallery content</i> on page 57.		
SMART Notebook: Team Content		
Team Content path	Type the path to the Team Content folder, which is a location on your school's network where users can store shared content.	For information on creating a Team Content folder, see <i>Creating or connecting to Team Content folders</i> on page 70.
SMART Notebook: My Content		
My Content path	Type the path to the My Content folder, which is a location on the user's computer where he or she can store individual content.	You can include environment variables in the path.

CHAPTER 2

Customizing installation packages

Control	Procedure	Notes
SMART Notebook: Optional Settings		
Install print capture driver	Select to include the Print Capture Driver in the installation.	The Print Capture Driver is a printer driver that enables users to export content from other programs to SMART Notebook software by using the SMART Notebook Document Writer.
Register SMART Document Camera drivers	Select to enable the registration of SMART Document Camera drivers.	Disable the registration of SMART Document Camera drivers if they conflict with existing third-party drivers on the computer. If you choose to install Mixed Reality Tools, SMART Install Manager selects this check box automatically. You're unable to clear it.
Install Notebook Plugin IE Helper Object	Select to enable a plug-in that allows you to download .notebook files from Internet Explorer® Internet browser.	If you don't enable the plug-in, Internet Explorer Internet browser changes .notebook files' extensions to .zip when downloading them. As a result, users are unable to open the files in SMART Notebook software. If you have a security policy restricting the installation of any Internet Explorer ActiveX plug-ins (32-bit operating systems), don't enable the plug-in or the installation might not succeed.
SMART Notebook: Customer Experience		
Prompt users to choose to participate in the Customer Experience Program	Select to allow the user to enable or disable the Customer Experience Program.	When the software first starts, it will ask the user whether he or she wants to participate in the Customer Experience Program.
Enable the Customer Experience Program on all computers	Select to automatically enable the Customer Experience Program for the user.	
Disable the Customer Experience Program on all computers	Select to automatically disable the Customer Experience Program for the user.	


CHAPTER 2

Customizing installation packages

Control	Procedure	Notes
SMART Response: Activation Options		
Registry file	If you're installing SMART Response software in standard, LE, PE, XE or mixed modes, type the path to the activation registry file.	Contact SMART Support for details.
SMART Response: Setup Tool		
SMART Response LE	Select to enable students to answer questions with SMART Response LE clickers.	
SMART Response PE	Select to enable students to answer questions with SMART Response PE clickers.	
SMART Response XE	Select to enable students to answer questions with SMART Response XE clickers.	
SMART Response/Senteo	Select to enable students to answer questions with SMART Response or Senteo™ clickers.	
SMART Response VE	Select to enable students to answer questions with SMART Response VE Internet-enabled devices.	

CHAPTER 2

Customizing installation packages

Control	Procedure	Notes
SMART Notebook SE	Select to enable students to answer questions with SMART Notebook SE software in SMART Response CE mode.	
Multiple SMART Response devices in the same class	Select to enable students to answer questions with Senteo, SMART Response, SMART Response LE, SMART Response PE or SMART Response XE clickers or SMART Notebook SE software. Select the Include SMART Response VE check box to also enable students to answer questions with SMART Response VE Internet-enabled devices.	
SMART Response: Optional Settings		
Start Desktop Menu at log in for all users?	Select to start SMART Response software when the user logs on.	
File port	Type the port number for the file data channel. OR Type * to use a random port number for the file data channel.	This control is applicable only if students answer questions with SMART Notebook SE software. The default port is 23458.
Secure Base port	Type the port number for the encrypted data channel. OR Type * to use a random port number for the encrypted data channel.	This control is applicable only if students answer questions with SMART Notebook SE software. The default port is 23457.
Certificate file	Type the path to the certificate file for SSL digital certificate encryption. OR Click Browse and then browse to and select the certificate file.	This control is applicable only if students answer questions with SMART Notebook SE software.

CHAPTER 2

Customizing installation packages

Control	Procedure	Notes
SMART Sync Teacher: Administrator Setup		
Administer class lists using a SMART School file	Select to administer class lists using a SMART School file, and then type the path to the SMART School file in the <i>File location</i> box or click Browse , and then browse to and select the SMART School file.	Before you can specify the path to a SMART School file, you must install SMART Administrator Tools - Classlist Manager, and then use it to create the SMART School file.
Connect students using SMART Sync Classlist Server	Select to connect students using SMART Sync Class List Server, and then type the host name or IP address for SMART Sync Class List Server in the <i>Hostname or IP address</i> box.	
SMART Product Drivers: Optional Settings		
Enable Tablet PC Support	Select to use Tablet PC functionality with the SMART Board™ interactive whiteboard without having to connect a Tablet PC.	This property is applicable for the Windows Vista and Windows 7 operating systems. It has no effect on other operating systems.
Start SMART Board Tools at logon	Select to start SMART Board Tools when the user logs on.	
Start Simple Network Management Protocol (SNMP) Agent	Select to enable remote monitoring and control of your SMART products and projectors from a central location using SMART SNMP Agent.	
Register unsigned drivers	Select to enable the registration of unsigned third-party drivers.	If you enable the registration of unsigned third-party drivers, the installation process could ask users if they trust the makers of the drivers during installation. This can cause issues if you deploy the installation in Silent mode. Therefore, it's best to disable the registration of third-party drivers if you deploy the installation in Silent mode.

CHAPTER 2

Customizing installation packages

Using third-party tools

You can customize SMART software installation packages by creating MST files using a third-party tool, such as Orca database editor, and the Windows Installer properties (see *Windows Installer properties and parameters* on page 37).

Chapter 3

Deploying the software

Using the command line interface.....	17
Using third-party imaging or remote management software.....	19
Activating the software after installation.....	20

You can deploy installation packages using the command line interface.

OR

You can deploy installation packages using third-party imaging or remote management software.

IMPORTANT

- Regardless of how you deploy the software, you must choose to install at least one of the software products. Otherwise, the **SMART Education Software 2011.msi** file doesn't install any of the software products.
- If you're deploying SMART Product Drivers, the user must restart (Windows XP operating systems) or log off and log back on (Windows Vista and Windows 7 operating systems) after you deploy the software to start the SMART Board Service. In addition, an error message might appear after you deploy the software stating that the **SMARTBoardService.exe** file could not be found. The user can close this error message.
- If you want to install language packs, you must do so when you first deploy the software. If you want to install a language pack after you first deploy the software, you must do so using the language pack's individual MSI file.

NOTE

You might need to manually activate the software after you deploy it.

Using the command line interface

Using the command line interface, you can deploy installation packages in many ways, including running commands from the Command Prompt window and including commands in batch script files.

CHAPTER 3

Deploying the software

To install SMART software

Run the following command if you created an MST file to customize the installation package:

```
msiexec /i "[Path]\SMART Education Software 2011.msi"  
TRANSFORMS="[MST file]" [Parameter]
```

OR

Run the following command if you didn't create an MST file to customize the installation package:

```
msiexec /i "[Path]\SMART Education Software 2011.msi" [Properties]  
[Parameter]
```

Where

- *[Path]* is the path to the **SMART Education Software 2011.msi** file and MST file.
- *[MST file]* is the name of the MST file.
- *[Properties]* is a set of properties you can include to customize the installation (see *Properties* on page 37).
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

To install the Adobe Flash Player ActiveX control

Run the following command:

```
msiexec /i "[Path]\install_flash_player_10_active_x.msi" [Parameter]
```

Where

- *[Path]* is the path to the **install_flash_player_10_active_x.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

To install the Adobe Flash Player plug-in

Run the following command:

```
msiexec /i "[Path]\install_flash_player_10_plugin.msi" [Parameter]
```

Where

- *[Path]* is the path to the **install_flash_player_10_plugin.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

Using third-party imaging or remote management software

The following procedure shows how to deploy SMART software using Group Policy-based deployment software. For information on deploying SMART software using your organization's third-party imaging or remote management software, see the software's documentation.

NOTES

- This procedure may vary depending on your version of Windows operating system and your system preferences.
- Ensure your domain controller has Windows Installer 4.5.

To deploy an installation package

1. Copy the MSI file and the MST file to `\\[Domain Controller]NETLOGON`, where *[Domain Controller]* is your domain controller.
2. Open Control Panel, double-click **Administrative Tools**, and then double-click **Active Directory Users and Computers**.
The Active Directory Users and Computers window appears.
3. Right-click your domain, and then select **Properties**.
The Properties dialog box appears.
4. Click the **Group Policy** tab, and then click **Edit**.
The Group Policy Object Editor dialog box appears.
5. Browse to and open **Computer Configuration\Software Settings**.
6. Right-click **Software Installation**, select **New > Package**, and then browse to and select the MSI file from step 1.
7. In the *Deploy Software* section, click **Advanced**, and then click **OK**.
8. Click the **Modifications** tab, click **Add**, and then browse to and select the MST file from step 1.
9. Click **OK** to apply the MST file to the MSI file.

CHAPTER 3

Deploying the software

10. Close all open windows and dialog boxes.

The next time each computer on the domain starts, the computer automatically installs the software in Silent mode with the customizations defined in the MST file.

Activating the software after installation

There are two situations in which the software doesn't activate completely:

- **Imaging a computer:** For the software to activate properly, each computer you install it on must have a unique installation ID. If you use a computer image or clone a hard drive to set up multiple computers, they all have the same installation ID as the original computer, which can cause an activation error.
- **Protecting software for computer configurations:** If you use system recovery or protection software, you should activate the software before you lock or freeze the computer for your users. However, if you can't, you must activate the software afterward.

Run the activation wizard while connected to the network or complete the following procedure to activate the software on each computer.

To activate SMART software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --puid education_bundle  
--m=[Value] --v=1 --a [Optional flags] [Product keys]
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

CHAPTER 3

Deploying the software

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
<code>--monitor=[Number]</code>	Specify the monitor to display the activation wizard.
<code>--proxy=[Host:Port]</code>	Specify the proxy host and port number to use for activation.
<code>--proxyuser=[User]</code>	Specify the proxy user name to use for activation.
<code>--proxypassword=[Password]</code>	Specify the proxy password to use for activation.
<code>--locale=[Code]</code>	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code.

- *[Product keys]* are one or more software product keys you want to activate. Each product key must be in the following form:

```
--pk [Product key]
```

Where *[Product key]* is the software product key.

To activate only SMART Classroom Suite Teacher software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --puid education_bundle  
--m=[Value] --v=1 --a [Optional flags] --pk [Product key]
```

CHAPTER 3

Deploying the software

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
--monitor=[Number]	Specify the monitor to display the activation wizard.
--proxy=[Host:Port]	Specify the proxy host and port number to use for activation.
--proxyuser=[User]	Specify the proxy user name to use for activation.
--proxypassword=[Password]	Specify the proxy password to use for activation.
--locale=[Code]	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code.

- *[Product key]* is the software product key.

■ To activate only SMART Notebook software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --puid notebook_10a  
--uipack notebook_10 --m=[Value] --v=1 --a [Optional flags] --pk  
[Product key]
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
--monitor=[Number]	Specify the monitor to display the activation wizard.
--proxy=[Host:Port]	Specify the proxy host and port number to use for activation.
--proxyuser=[User]	Specify the proxy user name to use for activation.
--proxypassword=[Password]	Specify the proxy password to use for activation.
--locale=[Code]	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code.

- *[Product key]* is the software product key.

■ To activate only SMART Notebook Math Tools after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\
SMART Product Update\activationwizard.exe" --puid education_bundle
--m=[Value] --v=1 --a [Optional flags] --pk [Product key]
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
--monitor=[Number]	Specify the monitor to display the activation wizard.
--proxy=[Host:Port]	Specify the proxy host and port number to use for activation.
--proxyuser=[User]	Specify the proxy user name to use for activation.
--proxypassword=[Password]	Specify the proxy password to use for activation.
--locale=[Code]	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code.

- *[Product key]* is the software product key.

To activate only Mixed Reality Tools after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\
SMART Product Update\activationwizard.exe" --puid education_bundle
--m=[Value] --v=1 --a [Optional flags] --pk [Product key]
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
--monitor=[Number]	Specify the monitor to display the activation wizard.
--proxy=[Host:Port]	Specify the proxy host and port number to use for activation.
--proxyuser=[User]	Specify the proxy user name to use for activation.
--proxypassword=[Password]	Specify the proxy password to use for activation.
--locale=[Code]	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code.

- *[Product key]* is the software product key.

To activate only SMART Response software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\
SMART Product Update\activationwizard.exe" --puid response_3a
--uipack response_3 --m=[Value] --v=1 --a [Optional flags] --pk
[Product key]
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

CHAPTER 3

Deploying the software

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
--monitor=[Number]	Specify the monitor to display the activation wizard.
--proxy=[Host:Port]	Specify the proxy host and port number to use for activation.
--proxyuser=[User]	Specify the proxy user name to use for activation.
--proxypassword=[Password]	Specify the proxy password to use for activation.
--locale=[Code]	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code.

- *[Product key]* is the software product key.

i NOTE

This command is applicable only if you're running SMART Response software in CE mode (students answer questions with SMART Notebook SE software) or VE mode (students answer questions with Internet-enable devices). Instructions for activating all other modes are included in the SMART Response documentation.

To activate only SMART Sync Teacher software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\
SMART Product Update\activationwizard.exe" --puid sync_10
--uipack sync_10 --m=[Value] --v=1 --a [Optional flags] --pk
[Product key]
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
--monitor=[Number]	Specify the monitor to display the activation wizard.
--proxy=[Host:Port]	Specify the proxy host and port number to use for activation.
--proxyuser=[User]	Specify the proxy user name to use for activation.
--proxypassword=[Password]	Specify the proxy password to use for activation.
--locale=[Code]	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code.

- *[Product key]* is the software product key.

Chapter 4

Updating the software

Using a Windows Installer update installation package (MSI file).....	28
Using a Windows Installer patch (MSP file).....	29

SMART periodically releases updates to its software. These updates add new features and resolve issues.

Go to smarttech.com/software to download the latest installation package. SMART provides updates in two file formats in the installation package:

- Windows Installer update installation packages (MSI files)
- Windows Installer patches (MSP files)

NOTE

MSP files are available only for select updates as identified on the SMART website.

Which file format you use depends on the version of the software currently installed on your computers and the version of the update. If these versions are the same, you can use the MSP file, if available, to install the update. If these versions are different (because, for example, a previous version of the software is installed on your computers), you must first upgrade the software on your computers to the same version as the update using the MSI file and then install the update using the MSP file, if available.

After you download an installation package and extract the update files, place the update files in a location on your network that's accessible to all the computers you plan to update.

IMPORTANT

You cannot roll back an update after installing it on your computers. You must remove the full version of the software using Control Panel or the command line interface (see *Removing the software* on page 31), and then install the previous version of the software.

Using a Windows Installer update installation package (MSI file)

The command line for running an update using a Windows Installer update installation package varies depending on whether the update is major or minor.

NOTE

The SMART website indicates whether an update is major or minor.

To run a major software update using a Windows Installer update installation package

Run the following command:

```
msiexec /i "[Path]\[File].msi" [Parameter]
```

Where

- *[Path]* is the path to the MSI file.
- *[File]* is the name of the MSI file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

IMPORTANT

Do not include the REINSTALLMODE and REINSTALL properties.

To run a minor software update using a Windows Installer update installation package

Run the following command:

```
msiexec /i "[Path]\[File].msi" REINSTALLMODE=vomus REINSTALL=ALL  
[Parameter]
```

Where

- *[Path]* is the path to the MSI file.
- *[File]* is the name of the MSI file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

 **IMPORTANT**

You must include the REINSTALLMODE=vomus and REINSTALL=ALL properties for a minor update to succeed.

Using a Windows Installer patch (MSP file)

■ To run a software update using a Windows Installer patch

Run the following command:

```
msiexec /p "[Path]\[File].msp" REINSTALLMODE=omus /q
```

Where

- *[Path]* is the path to the MSP file.
- *[File]* is the name of the MSP file.

 **IMPORTANT**

- You must include the REINSTALLMODE=omus property for a patch to succeed.
- Do not include any other properties.

Chapter 5

Removing the software

Using the command line interface.....	31
Using third-party imaging or remote management software.....	36

You can remove SMART software using the command line interface.

OR

You can remove SMART software using third-party imaging or remote management software.

Using the command line interface

Using the command line interface, you can remove SMART software in many ways, including running commands from the Command Prompt window and including commands in batch script files.

IMPORTANT

Only remove the common platform after removing all other SMART software.

NOTE

You can remove the software using the individual installation packages (**SMART Notebook.msi**, **SMART Response Software.msi**, and so on) if you have the DVD.

To remove all software

Run the following command:

```
msiexec /x "[Path]\SMART Education Software 2011.msi" [Parameter]
```

Where

- *[Path]* is the path to the **SMART Education Software 2011.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

To remove SMART Notebook software

If you installed SMART Notebook software using the **SMART Notebook.msi** file, run the following command to remove the software using the installation package:

```
msiexec /x "[Path]\SMART Notebook.msi" [Parameter]
```

Where

- *[Path]* is the path to the **SMART Notebook.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

OR

Run the following command to remove the software using the product code:

```
msiexec /x [Product code] [Parameter]
```

Where

- *[Product code]* is the product code for the version of SMART Notebook software you're removing, including the braces (“{” and “}”).

Version	Product code
10.0.124.0	{3E926B45-3748-40F9-8A30-99B225E1D2E5}
10.0.126.0	{F581DF68-CAE9-4064-A6CD-705D95D1C756}
10.0.132.0	{F581DF68-CAE9-4064-A6CD-705D95D1C756}
10.0.187.1	{F581DF68-CAE9-4064-A6CD-705D95D1C756}
10.1.253.1	{D836B93F-3030-4047-99D3-65304A25839A}
10.0.517.2	{A51CDA36-B81D-4934-9C9D-B649A0DBF4CD}
10.0.596.3	{5C98A4FE-1F42-4F02-B738-F32886AE5467}
10.0.631.3	{5C98A4FE-1F42-4F02-B738-F32886AE5467}
10.6.94.0	{0A0719F0-AD56-42BA-B68C-EFFC330B6F13}
10.6.140.1	{47E6A509-37B7-4440-A252-7031E9A898D7}
10.7	{9550F8A6-3D21-4544-8B87-F9FE7E01B964}
10.8	{ED0FF410-41B9-441F-B457-4AC81782E8BF}

- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

To remove SMART Response software

If you installed SMART Notebook software using the **SMART Response Software.msi** file, run the following command to remove the software using the installation package:

```
msiexec /x "[Path]\SMART Response Software.msi" [Parameter]
```

Where

- *[Path]* is the path to the **SMART Response Software.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

OR

Run the following command to remove the software using the product code:

```
msiexec /x [Product code] [Parameter]
```

Where

- *[Product code]* is the product code for the version of SMART Response software you're removing, including the braces (“{” and “}”).

Version	Product code
2.0.97.0	{BDB1F637-C890-4B86-A5A7-D20D8DBE176B}
2.1.307.0	{CFD7DD74-42F9-4B50-AFCD-1E0B0F5ABBA4}
2.2.591.1	{7A63D2B1-DE99-4DB3-93E7-8FDEDD49E3E3}
2.5.39.0	{D04D1BAC-D63F-498F-B613-FB7BCF2F6C52}
3.0.159.0	{6FFCF813-06AF-468A-AD64-7F9B04DD0EDA}
3.0.256.1	{8B4CE9CA-ECB7-47D1-845E-E1167FFB3F1B}
3.5	{3ABF6865-E84E-4DAB-B730-0EB9E8F37EB1}

- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

To remove SMART Sync Teacher software

If you installed SMART Sync Teacher software using the **SMART Sync Teacher 2011.msi** file, run the following command to remove the software using the installation package:

```
msiexec /x "[Path]\SMART Sync Teacher 2011.msi" [Parameter]
```

CHAPTER 5

Removing the software

Where

- *[Path]* is the path to the **SMART Sync Teacher 2011.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

OR

Run the following command to remove the software using the product code:

```
msiexec /x [Product code] [Parameter]
```

Where

- *[Product code]* is the product code for the version of SMART Sync Teacher software you're removing, including the braces (“{” and “}”).

Version	Product code
7.0.27.1	{0BA04E3D-ACE5-4706-B252-2D126EC0FAAE}
7.0.44.2	{0BA04E3D-ACE5-4706-B252-2D126EC0FAAE}
8.1.92.6	{96E3501E-D006-4D78-8FD6-C6C00CD8919A}
8.1.107.7	{E721B9EF-DBCA-4356-892E-93B98A019F1B}
9.0.37.2.0	{72B08261-5E61-47A5-8C75-A8B8C4A44E7A}
10.0	{9D81615E-B150-488B-90CA-1159E2113BE3}
10.0 (chained)	{F5F5DBE0-1238-477C-963C-BE6C305A1C5F}

- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

To remove SMART Product Drivers

If you installed SMART Product Drivers using the **SMART Product Drivers Installer.msi** file, run the following command to remove the software using the installation package:

```
msiexec /x "[Path]\SMART Product Drivers Installer.msi" [Parameter]
```

Where

- *[Path]* is the path to the **SMART Product Drivers Installer.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

OR

Run the following command to remove the software using the product code:

```
msiexec /x [Product code] [Parameter]
```

CHAPTER 5

Removing the software

Where

- *[Product code]* is the product code for the version of SMART Product Drivers you're removing, including the braces (“{” and “}”).

Version	Product code
10.0.124.0	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.131.0	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.163.1	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.165.1	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.186.2	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.188.3	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.232.4	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.255.5	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.314.5	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.392.6	{00C68967-9790-40DA-86F7-FDB248A5CDB1}
10.0.528.7	{AA9C1126-50DD-4993-9CDC-0BED8167293C}
10.0.532.7	{984EAE92-6043-451A-B786-9327FF165310}
10.6.48.0	{2623A1E3-478A-4F4A-A522-3A3D784A0C9C}
10.6.106.1	{487F1117-8BDE-4518-A798-015172AE0410}
10.6.175.2	{333B0B76-FC96-4C51-9AF6-B6EFA15ACE99}
10.7.81.0	{1355416A-967D-47C5-823D-D493C3E0B97C}
10.7 SP1	{4CE6C6E8-0DAD-4757-86ED-7FB4035BA98B}
10.8	{67E6410C-1E97-4D03-BEC2-8E83323A6BBD}

- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

To remove the common platform

If you installed the common platform using the **SMART Common Platform.msi** file, run the following command to remove the software using the installation package:

```
msiexec /x "[Path]\SMART Common Platform.msi" [Parameter]
```

Where

- *[Path]* is the path to the **SMART Common Platform.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

OR

CHAPTER 5

Removing the software

Run the following command to remove the common platform using the product code:

```
msiexec /x {0E5DD7A3-BE29-430C-970B-C553F4A58C39} [Parameter]
```

Where *[Parameter]* is the installation parameter (see *Parameters* on page 50).

Using third-party imaging or remote management software

The following procedure shows how to remove SMART software using Windows operating systems' Group Policy-based deployment software. For information on removing software using your organization's third-party imaging or remote management software, see the software's documentation.

NOTE

This procedure may vary depending on your version of Windows operating system and your system preferences.

To remove a deployed installation package

1. Open Control Panel, double-click **Administrative Tools**, and then double-click **Active Directory Users and Computers**.

The *Active Directory Users and Computers* window appears.

2. Right-click your domain, and then select **Properties**.

The *Properties* dialog box appears.

3. Click the **Group Policy** tab, and then click **Edit**.

The *Group Policy Object Editor* dialog box appears.

4. Browse to and open **Computer Configuration\Software Settings\Software Installation**.

5. Right-click the software you want to remove, and then select **All Tasks > Remove**.

6. Select **Immediately uninstall the software from users and computers**, and then click **OK**.

The next time each computer on the domain starts, the computer automatically removes the software.

Appendix A

Windows Installer properties and parameters

Properties.....	37
Parameters.....	50
Examples.....	50

Properties

The following are properties for the installation package:

Property	Allowed values	Notes
General properties		
ACTIVATE_LICENSE	1 (default): Register the product keys and automatically activate the software. [Empty string]: Register the product keys but don't automatically activate the software.	You must include the product key properties for the software you are installing for this property to work. For mass activation information, see <i>Activating the software after installation</i> on page 20.
INSTALL_NOTEBOOK	1: Install SMART Notebook software.	
NB_PROD_KEY	[String]: The 22-character product key for SMART Notebook software you received from SMART.	This property automatically populates the <i>Product Key</i> box in the activation wizard if you choose not to include the ACTIVATE_LICENSE property.
INSTALL_BOARD	1: Install SMART Product Drivers.	
INSTALL_RESPONSE	1: Install SMART Response software.	If you include the INSTALL_RESPONSE property, Windows Installer installs SMART Notebook software even if you don't include the INSTALL_NOTEBOOK property.

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
RESP_PROD_KEY	[String]: The 22-character product key for SMART Response software you received from SMART if students use SMART Notebook SE software or SMART Response VE Internet-enabled devices to answer questions.	This property automatically populates the <i>Product Key</i> box in the activation wizard if you choose not to include the ACTIVATE_LICENSE property.
ENABLE_MATH_TRIAL	1: Install SMART Notebook Math Tools.	If you include the ENABLE_MATH_TRIAL property, Windows Installer installs SMART Notebook software even if you don't include the INSTALL_NOTEBOOK property.
MATH_PROD_KEY	[String]: The 22-character product key for SMART Notebook Math Tools you received from SMART.	This property automatically populates the <i>Product Key</i> box in the activation wizard if you choose not to include the ACTIVATE_LICENSE property.
ENABLE_MR_TRIAL	1: Install Mixed Reality Tools.	If you include the ENABLE_MR_TRIAL property, Windows Installer installs SMART Notebook software even if you don't include the INSTALL_NOTEBOOK property.
MIXED_PROD_KEY	[String]: The 22-character product key for Mixed Reality Tools you received from SMART.	This property automatically populates the <i>Product Key</i> box in the activation wizard if you choose not to include the ACTIVATE_LICENSE property.
INSTALL_SYNC	1: Install SMART Sync Teacher software.	
SYNC_PROD_KEY	[String]: The 22-character product key for SMART Sync Teacher software you received from SMART.	This property automatically populates the <i>Product Key</i> box in the activation wizard if you choose not to include the ACTIVATE_LICENSE property.
INSTALL_CLASSSUITE	1: Install the SMART Classroom Suite Teacher software components: <ul style="list-style-type: none"> • SMART Notebook software • SMART Product Drivers • SMART Response software • SMART Sync Teacher software [Empty string]: Don't install the SMART Classroom Suite Teacher software components.	

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
CLASS_PROD_KEY	[String]: The 22-character product key for SMART Classroom Suite Teacher software you received from SMART.	This property automatically populates the <i>Product Key</i> box in the activation wizard if you choose not to include the ACTIVATE_LICENSE property.
INSTALLDIR	[String]: The path to your preferred folder for the software.	If you specify a folder, include a back slash (\) at the end of the path. If you don't specify a folder, Windows Installer installs the software in [Program files]\SMART Technologies\ Education Software where [Program files] is C:\Program Files for 32-bit versions of Windows operating systems or C:\Program File (x86) for 64-bit versions of Windows operating systems.
DESKTOP_ICONS	1 (default): Include shortcuts to the software on the desktop. [Empty string]: Don't include shortcuts to the software on the desktop.	
TRANSFORMS	[String]: A language MST file for the installation (see <i>Installation language files and codes</i> on page 53).	Ensure the specified MST file is in the same folder as the MSI file. This property defines the language of the installer's user interface and the installed software's icons and shortcuts. It doesn't define the installed software's user interface language. The installed software uses the computer's operating system language if it's supported, or English (U.S.) if not. You can also use the TRANSFORMS property to apply an MST file created by SMART Install Manager (see page 5) or a third-party tool.

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
SPU properties		
INSTALL_SPU	1 (default): Install SPU in Full mode. 2: Install SPU in Dashboard mode. 0: Don't install SPU.	In Full mode, users can view currently installed versions of SMART software and their product keys, and download and install updates. In Dashboard mode, users can view only currently installed versions of SMART software and their product keys.
SPU_TIME_FRAME	[Integer]: The time in days (1 to 60) between SPU checks.	By default, SPU checks for product updates every 30 days. This property is applicable only if you install SPU.
PRODUCT_NOTIFICATION	1 (default): Notify the user when updates are available from SPU. 0: Don't notify the user when updates are available from SPU.	This property is applicable only if you install SPU.

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
SMART Notebook software properties		
CONTENT_TARGET_PATH CONTENT_SOURCE_PATH NETWORK_CONTENT	<p>If you're installing Gallery content on each user's computer from the SMART website (option 1):</p> <ul style="list-style-type: none"> Set CONTENT_TARGET_PATH to the path of the folder where you want to install the Gallery content (if you don't want to use the default folder %ALLUSERSPROFILE%\Application Data\SMART Technologies). <p>If you're installing Gallery content on each user's computer from a folder on your school's network (option 2):</p> <ul style="list-style-type: none"> Set CONTENT_SOURCE_PATH to the path of the folder on your school's network that contains the Gallery Essentials and Lesson Activity Toolkit folders. Set CONTENT_TARGET_PATH to the path of the folder where you want to install the Gallery content (if you don't want to use the default folder %ALLUSERSPROFILE%\Application Data\SMART Technologies). <p>If you're installing Gallery content in a central location (option 3):</p> <ul style="list-style-type: none"> Set NETWORK_CONTENT to 1. Set CONTENT_TARGET_PATH to the path of the folder on your school's network that contains the Gallery Essentials and Lesson Activity Toolkit folders. 	<p>For more information on the three options, see <i>Installing Gallery content</i> on page 58.</p> <p>If you select option 3, Windows Installer ignores the FULL_GALLERY and *_CONTENT properties.</p>
FULL_GALLERY	1: Install the full Gallery Essentials collection.	
ADMIN_CONTENT	1: Install the Administration and Evaluation category.	Don't include this property if you included the FULL_GALLERY category.

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
ARTS_CONTENT	1: Install the Arts category.	Don't include this property if you included the FULL_GALLERY category.
ENGLISH_CONTENT	1: Install the English and Language Arts category.	Don't include this property if you included the FULL_GALLERY category.
GEOGRAPHY_CONTENT	1: Install the Geography category.	Don't include this property if you included the FULL_GALLERY category.
HISTORY_CONTENT	1: Install the History category.	Don't include this property if you included the FULL_GALLERY category.
MATH_CONTENT	1: Install the Mathematics category.	Don't include this property if you included the FULL_GALLERY category.
PEOPLE_CONTENT	1: Install the People and Culture category.	Don't include this property if you included the FULL_GALLERY category.
SCIENCE_CONTENT	1: Install the Science and Technology category.	Don't include this property if you included the FULL_GALLERY category.
SPECIAL_CONTENT	1: Install the Special Needs category.	Don't include this property if you included the FULL_GALLERY category.
SPORTS_CONTENT	1: Install the Sports and Recreation category.	Don't include this property if you included the FULL_GALLERY category.
LAT_CONTENT	1: Install the Lesson Activity Toolkit collection.	
TEAM_CONTENT_PATH	[String]: Specify the path to the Team Content folder, which is a location on your school's network where users can store shared content.	For information on creating a Team Content folder, see <i>Creating or connecting to Team Content folders</i> on page 70. You must specify a path to an existing folder in this property.
MY_CONTENT	[String]: Specify the path to the My Content folder, which is a location on the user's computer where he or she can store individual content.	You can include environment variables in the path. This property is useful if you want to store content in a shared network folder so users can access their My Content folder from any computer on the network.

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
PRINT_CAPTURE	1 (default): Install the Print Capture Driver. [Empty string]: Don't install the Print Capture Driver.	The Print Capture Driver is a printer driver that enables users to export content from other programs to SMART Notebook software by using the SMART Notebook Document Writer.
INSTALL_DOCCAM_DRIVERS	1 (default): Enable the registration of SMART Document Camera drivers. 0: Disable the registration of SMART Document Camera drivers.	Disable the registration of SMART Document Camera drivers if they conflict with existing third-party drivers on the computer.
NBPLUGIN_INSTALLED	1 (default): Enable a plug-in that allows you to download .notebook files from Internet Explorer Internet browser. 0: Disable the plug-in.	If you don't enable the plug-in, Internet Explorer Internet browser changes .notebook files' extensions to .zip when downloading them. As a result, users are unable to open the files in SMART Notebook software. If you have a security policy restricting the installation of any Internet Explorer ActiveX plug-ins (32-bit operating systems), don't enable the plug-in or the installation might not succeed.
CUSTOMER_LOGGING	0: Disable the Customer Experience Program. 1 (default): Allow the user to enable or disable the Customer Experience Program. 2: Enable the Customer Experience Program.	
SMART Response software properties		
RESPONSE_ACTIVATION	[String]: The path to the SMART Response software registry file.	Contact SMART Support for details. This property is applicable only if students answer questions using Senteo, SMART Response, SMART Response LE, SMART Response PE or SMART Response XE clickers.

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
RESPONSE_MODE	<p>1: Install the software in standard mode. (Students answer questions using Senteo or SMART Response clickers.)</p> <p>2: Install the software in CE mode. (Students answer questions using SMART Notebook SE software.)</p> <p>4: Install the software in LE mode. (Students answer questions using SMART Response LE clickers.)</p> <p>8 (default): Install the software in PE mode. (Students answer questions using SMART Response PE clickers.)</p> <p>16: Install the software in XE mode. (Students answer questions using SMART Response XE clickers.)</p> <p>32: Install the software in VE mode. (Students answer questions using SMART Response VE Internet-enabled devices.)</p> <p>64: Install the software in Mixed mode. (Students answer questions using Senteo, SMART Response, SMART Response LE, SMART Response PE or SMART Response XE clickers or SMART Notebook SE software.)</p> <p>128: Install the software in Mixed mode with additional support for SMART Response VE Internet-enabled devices.</p>	<p>You or the user can change the mode after installation using the SMART Response Setup Tool.</p>
LOSU_RDM	<p>1 (default): Add the SMART Response icon to the notification area when the user logs on.</p> <p>[Empty string]: Don't add the SMART Response icon to the notification area when the user logs on.</p>	
FILE_PORT	<p>[String]: The port you want to use to receive assessment information from SMART Notebook SE software.</p>	<p>This property is applicable only if you're installing SMART Response software in CE mode.</p>

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
SECURE_BASE_PORT	[String]: The secure port you want to use to receive assessment information from SMART Notebook SE software.	This property is applicable only if you're installing SMART Response software in CE mode.
CERTIFICATE_FOLDER	[String]: The path to and file name of the security certificate for Diffie-Hellman encryption.	This property is applicable only if you're installing SMART Response software in CE mode.
SMART Sync Teacher software properties		
ENABLE_ADMINISTERED_CLASSLIST	1: Administer class lists using a SMART School file. [Null or empty string] (default): Don't administer class lists using a SMART School file.	If you want to administer class lists using a SMART School file, you must install SMART Administrator Tools - Classlist Manager, use it to create the file, and then specify the path to the file using the SCHOOLFILE property. For information on SMART Administrator Tools - Classlist Manager, see the <i>SMART Sync 2011 system administrator's guide</i> (smarttech.com/kb/160490) or the <i>SMART Classroom Suite 2011 system administrator's guide</i> (smarttech.com/kb/160522).
SCHOOLFILE	[String]: The path to the SMART School file.	
ENABLE_CONNECT_STUDENTS_USING_CLS	1: Connect students using SMART Sync Class List Server. [Null or empty string] (default): Don't connect students using SMART Sync Class List Server.	If you want to connect students using SMART Sync Class List Server, you must install SMART Sync Class List Server, and then specify the host name or IP address in the SYNC_NAMINGSERVERLOC property. For information on SMART Sync Class List Server, see the <i>SMART Sync 2011 system administrator's guide</i> (smarttech.com/kb/160490) or the <i>SMART Classroom Suite 2011 system administrator's guide</i> (smarttech.com/kb/160522).
SYNC_NAMINGSERVERLOC	[String]: The host name or IP address of SMART Sync Class List Server.	

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
SMART Product Drivers properties		
ENABLE_STPCS	1 (default): Use Tablet PC functionality with the SMART Board interactive whiteboard without connecting a Tablet PC. [Empty string]: Don't use Tablet PC functionality with the SMART Board interactive whiteboard without connecting a Tablet PC.	This property is applicable for the Windows Vista and Windows 7 operating systems. It has no effect on other operating systems. If you specify [Null], users don't have touch support at the Windows logon screen.
LOSU_BRDTOOLS	1 (default): Start SMART Board Tools when the user logs on. [Null]: Don't start SMART Board Tools when the user logs on.	
START_SNMP_SERVICE	1: Enable SMART SNMP Agent, allowing you to remotely monitor and control your SMART products and projectors from a central location. [Empty string] (default): Disable SMART SNMP Agent.	
INSTALL_UNSIGNED_DRIVERS	1: Enable the registration of unsigned third-party drivers. 0 (default): Disable the registration of unsigned third-party drivers.	If you enable the registration of unsigned third-party drivers, the installation process could ask users if they trust the makers of the drivers during installation. This can cause issues if you deploy the installation in Silent mode. Therefore, it's best to disable the registration of third-party drivers if you deploy the installation in Silent mode.
Language pack properties		
SQ	1: Install the Albanian language pack.	
AR	1: Install the Arabic language pack.	
EU	1: Install the Basque language pack.	
CA	1: Install the Catalan language pack.	
ZH_CN	1: Install the Chinese (Simplified) language pack.	
ZH_TW	1: Install the Chinese (Traditional) language pack.	
CS	1: Install the Czech language pack.	
HR	1: Install the Croatian language pack.	
DA	1: Install the Danish language pack.	

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
NL	1: Install the Dutch language pack.	
EN_GB	1: Install the English (UK) language pack.	
ET	1: Install the Estonian language pack.	
FI	1: Install the Finnish language pack.	
FR	1: Install the French language pack.	
GA	1: Install the Gaelic (Ireland) language pack.	
GD	1: Install the Gaelic (Scotland) language pack.	
GL	1: Install the Galician language pack.	
DE	1: Install the German language pack.	
EL	1: Install the Greek language pack.	
HE	1: Install the Hebrew language pack.	
HI_IN	1: Install the Hindi language pack.	
HU	1: Install the Hungarian language pack.	
IS	1: Install the Icelandic language pack.	
IT	1: Install the Italian language pack.	
JA	1: Install the Japanese language pack.	
KK	1: Install the Kazakh language pack.	
KO	1: Install the Korean language pack.	
LV	1: Install the Latvian language pack.	
LT	1: Install the Lithuanian language pack.	
MK	1: Install the Macedonian language pack.	
MS	1: Install the Malay language pack.	
MI	1: Install the Maori language pack.	
NB	1: Install the Norwegian language pack.	
PL	1: Install the Polish language pack.	
PT_PT	1: Install the Portuguese (Portugal) language pack.	
PT_BR	1: Install the Portuguese (Brazil) language pack.	
RO	1: Install the Romanian language pack.	

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
RU	1: Install the Russian language pack.	
SR	1: Install the Serbian language pack.	
SK	1: Install the Slovak language pack.	
SL	1: Install the Slovenian language pack.	
ES	1: Install the Spanish (Spain) language pack.	
ES_MX	1: Install the Spanish (Mexico) language pack.	
SW	1: Install the Swahili language pack.	
SV	1: Install the Swedish language pack.	
TR	1: Install the Turkish language pack.	
UK	1: Install the Ukrainian language pack.	
VA	1: Install the Valencian language pack.	
CY	1: Install the Welsh language pack.	

APPENDIX A

Windows Installer properties and parameters

Property	Allowed values	Notes
Internet access properties		
ACC	<p>[Integer]: Enable Internet access for specified components.</p> <ul style="list-style-type: none">• 0: No components• 1: Gallery Setup• 2: Language Setup• 3: Gallery Setup and Language Setup• 4: SPU• 5: Gallery Setup and SPU• 6: Language Setup and SPU• 7: All components except Customer Experience Program• 8: Customer Experience Program• 9: Gallery Setup and Customer Experience Program• 10: Language Setup and Customer Experience Program• 11: All components except SPU• 12: SPU and Customer Experience Program• 13: All components except Language Setup• 14: All components except Gallery Setup• 15 (default): All components	

Parameters

The following are the standard Windows Installer parameters for the msiexec command.

Parameter	Use
/q	Hide the installation wizard. NOTE This is Silent mode.
/qb	Show a basic installation wizard.
/qb!	Show a basic installation wizard without a Cancel button.
/qb+	Show a basic installation wizard with a dialog box signaling the end of the installation.
/qb+!	Show a basic installation wizard without a Cancel button but with a dialog box signaling the end of the installation.
/qr	Show a reduced installation wizard.
/qf	Show the full installation wizard, including a dialog box signaling the end of the installation or the <i>Fatal Error</i> , <i>User Exit</i> or <i>Exit</i> dialog box.
/qn	Hide the installation wizard and the dialog box signaling the end of the installation.
/qn+	Hide the installation wizard but show the dialog box signaling the end of the installation.

Examples

The following example installs SMART Notebook software and SMART Product Drivers in Silent mode:

```
msiexec /i "[Path]\SMART Education Software.msi" INSTALL_NOTEBOOK=1
INSTALL_BOARD=1 /q
```

The following example installs SMART Notebook software in Silent mode, providing a product key and automatically activating the software upon completion of the installation:

```
msiexec /i "[Path]\SMART Education Software.msi" INSTALL_NOTEBOOK=1
NB_PROD_KEY=[22-character product key] ACTIVATE_LICENSE=1 /q
```

APPENDIX A

Windows Installer properties and parameters

The following example installs SMART Notebook software in Silent mode, linking to centrally located Gallery content:

```
msiexec /i "[Path]\SMART Education Software.msi" INSTALL_NOTEBOOK=1  
NETWORK_CONTENT=1 CONTENT_TARGET_PATH="\\SchoolServer\Gallery" /q
```

The following example installs SMART Response software in CE mode in Silent mode:

```
msiexec /i "[Path]\SMART Education Software.msi" INSTALL_RESPONSE=1  
RESPONSE_MODE=2 /q
```

The following example installs SMART Sync Teacher software in Silent mode, specifying the location of the SMART School file:

```
msiexec /i "[Path]\SMART Education Software.msi" INSTALL_SYNC=1  
SCHOOLFILE="\\SchoolServer\SchoolFile\SchoolFile.school" /q
```


Appendix B

Language files and codes

Installation language files and codes.....	53
Language packs.....	54

Installation language files and codes

 **IMPORTANT**

SMART Response software and SMART Sync Teacher software do not support the Basque (**1069.mst**), Catalan (**1027.mst**), Chinese (Traditional) (**1028.mst**), Croatian (**1050.mst**), French (Canada) (**3084.mst**), Hebrew (**1037.mst**), Japanese (**1041.mst**), Romanian (**1048.mst**), Serbian (**3098.mst**), Slovak (**1051.mst**) and Slovenian (**1060.mst**) installation language files. If you want to deploy the software in any of these languages:

- First deploy all software except SMART Response software and SMART Sync software with the installation language file.
- Then deploy SMART Response software and SMART Sync software without the installation language file.

Language	Code	File
English (U.S.)	1033	1033.mst
English (UK)	2057	2057.mst
Arabic	1025	1025.mst
Basque	1069	1069.mst
Catalan	1027	1027.mst
Chinese (Traditional)	1028	1028.mst
Chinese (Simplified)	2052	2052.mst
Croatian	1050	1050.mst
Czech	1029	1029.mst
Danish	1030	1030.mst
Dutch	1043	1043.mst

APPENDIX B

Language files and codes

Language	Code	File
Finnish	1035	1035.mst
French (France)	1036	1036.mst
French (Canada)	3084	3084.mst
German	1031	1031.mst
Greek	1032	1032.mst
Hebrew	1037	1037.mst
Hungarian	1038	1038.mst
Icelandic	1039	1039.mst
Italian	1040	1040.mst
Japanese	1041	1041.mst
Korean	1042	1042.mst
Norwegian	1044	1044.mst
Polish	1045	1045.mst
Portuguese (Portugal)	2070	2070.mst
Portuguese (Brazil)	1046	1046.mst
Romanian	1048	1048.mst
Russian	1049	1049.mst
Serbian	3098	3098.mst
Slovak	1051	1051.mst
Slovenian	1060	1060.mst
Spanish (Spain)	1034	1034.mst
Spanish (Mexico)	2058	2058.mst
Swedish	1053	1053.mst
Turkish	1055	1055.mst

Language packs

File	Code
albanian_language_pack.msi	{52D3EB7B-8FB0-40B5-BD96-36733CE94C48}
arabic_language_pack.msi	{9091E771-6E47-4C01-B7BF-45BC66A5ABF9}
basque_language_pack.msi	{28F55FD9-DBDF-4180-BE83-E01614E092C9}
catalan_language_pack.msi	{48767968-5D64-44CB-83AD-6E57270F9E89}
chinese_(simplified)_language_pack.msi	{C42566AD-8B6D-42DA-AB32-AB0FF4DA4835}
chinese_(traditional)_language_pack.msi	{10A9A34A-8741-4251-AF92-6109498DDE11}

APPENDIX B

Language files and codes

File	Code
croatian_language_pack.msi	{D83EFF2B-275E-4B49-9391-76C85606F3C9}
czech_language_pack.msi	{65F93E53-1BF8-42CC-B34E-ADE8F38A5DDD}
danish_language_pack.msi	{35F9BB11-C3B1-4E54-BCF6-A816219E8816}
dutch_language_pack.msi	{2F24F27E-3137-4A0E-8D1D-B3A203FBEB21}
english_(united_kingdom)_language_pack.msi	{660B0281-20C5-4FC9-A249-40C860262435}
estonian_language_pack.msi	{6E905FF9-781D-479A-A940-DA2AFDC6CF85}
finnish_language_pack.msi	{00FB911F-2E53-410F-BB04-040582241902}
french_language_pack.msi	{42EA3C50-D781-4408-A6BC-650E4EAA42B6}
gaelic_(ireland)_language_pack.msi	{E4AF8A18-E6D9-4F91-95A8-11E90D972953}
gaelic_(scotland)_language_pack.msi	{AFC30958-4391-47CA-A4F9-7344B41717C3}
galician_language_pack.msi	{D8060D4D-19BA-45C5-874C-54F566DD4D27}
german_language_pack.msi	{FBD1D659-DFDF-4EFC-9E6E-187CF498380C}
greek_language_pack.msi	{8603B01E-C40B-470D-BFBA-F8CE4E7ECD8E}
hebrew_language_pack.msi	{11EC8FEF-D319-437F-ACF3-6348DD6CB4DB}
hindi_language_pack.msi	{9C6ABB27-F1BF-41DC-9CF6-757017C8FDF0}
hungarian_language_pack.msi	{358DDBCC-B4CA-4B65-AB3D-7BDC34EAD60E}
icelandic_language_pack.msi	{14A6BC4A-677C-4111-9C63-3D642876C1ED}
italian_language_pack.msi	{337225D9-28B9-41BC-8157-57FF543D82E8}
japanese_language_pack.msi	{AB4FDB88-2330-4703-A529-BF8AD553755C}
kazakh_language_pack.msi	{D5276407-8FBF-454F-8C18-BBB69D0C04B5}
korean_language_pack.msi	{98AB930B-8A8A-4639-95B0-8EE77BCC982F}
latvian_language_pack.msi	{344CAA11-F660-4561-817F-D673A2C45FB3}
lithuanian_language_pack.msi	{FF52AD70-9114-4AF1-8796-3F7349230530}
macedonian_language_pack.msi	{50873596-D295-48C1-9F4E-18674304716B}
malaysian_language_pack.msi	{9DE53468-3E21-4A57-B27C-AFA7DA60C5DD}
maori_language_pack.msi	{196D58D0-960E-4B46-860A-6D732F2BC473}
norwegian_language_pack.msi	{6BE163A5-1987-4789-96C4-9F5B481A0B09}
polish_language_pack.msi	{B84DD15C-A4CB-4769-8828-CAA31EA77FA6}
portuguese_(portugal)_language_pack.msi	{48B115BA-5E2B-4DB2-B1E2-9C0A1DBF8405}
portuguese_(brazil)_language_pack.msi	{F1FF65A8-EC0C-43A4-8E4E-154EEBF4C081}
romanian_language_pack.msi	{A8CC03AD-C6F7-417B-A756-918E5E325872}
russian_language_pack.msi	{441D1F4B-0DAD-4600-B17B-7F8880E4F9B4}
serbian_language_pack.msi	{B05B1B54-36C9-4F6A-97C9-10A1028BB1BB}
slovak_language_pack.msi	{20451FF6-BEF6-4D4C-B6FA-CE5F191DCF20}

APPENDIX B

Language files and codes

File	Code
slovenian_language_pack.msi	{1236683E-AF08-444B-9C5D-26C04A8BE0F7}
spanish_language_pack.msi	{0EEE7AD9-6FB8-4837-8C87-E187D817D5AB}
spanish_(international_latin_american)_ language_pack.msi	{AC4EFF6B-076D-4307-AF29-EA2D23575773}
swahili_language_pack.msi	{1CE6DA19-D83D-4F7D-8038-B60648C8F1F5}
swedish_language_pack.msi	{6F22C4C4-D6F9-4E73-AFCA-93570FC12DCC}
turkish_language_pack.msi	{C3F1AFA6-DCFA-4DA3-AA28-F4770D4B4FA8}
ukrainian_language_pack.msi	{9D2460BE-585F-4155-A472-D5C8DA823B30}
valencian_language_pack.msi	{01016807-17B8-4257-9D6D-0EBADAB7B75E}
welsh_language_pack.msi	{679AEC0B-A357-4399-8820-11BA790A1D89}

Appendix C

Installing and maintaining Gallery content

Installing Gallery content.....	58
Installing Gallery content on each computer from the SMART website.....	58
Configuring Gallery content using the command line interface.....	58
Configuring Gallery content using SMART Install Manager.....	58
Installing Gallery content on each computer from a folder on your school's network.....	59
Downloading Gallery content.....	59
Configuring Gallery content using the command line interface.....	60
Configuring Gallery content using SMART Install Manager.....	60
Installing Gallery content in a central location.....	61
Downloading Gallery content.....	61
Configuring Gallery content using the command line interface.....	62
Configuring Gallery content using SMART Install Manager.....	63
Modifying Gallery content.....	63
Commands.....	65
Flags.....	66
Parameters.....	66
Examples.....	68
Downloading a Gallery collection.....	68
Downloading certain categories of a Gallery collection.....	68
Installing a Gallery collection.....	68
Installing certain categories of a Gallery collection.....	68
Registering installed Gallery collections.....	68
Removing a Gallery collection.....	68
Changing Gallery content locations.....	69
Starting the software in Administration mode.....	69
Changing the location of the My Content folder.....	69
Creating or connecting to Team Content folders.....	70
Connecting to an RSS feed.....	72

APPENDIX C

Installing and maintaining Gallery content

Gallery content includes the following:

- Gallery Essentials, which is a collection of educational photos and other images, audio files, and Adobe Flash Player compatible files.
- Lesson Activity Toolkit, which contains objects teachers can use to create their own lesson activities.

You can access Gallery content from the *Gallery* tab.

Installing Gallery content

There are three options for installing Gallery content.

Option	Description
1	Install Gallery content on each user's computer from the SMART website.
2	Install Gallery content on each user's computer from a folder on your school's network.
3	Install Gallery content in a central location, and then configure the software to refer to that location.

TIP

The third option is ideal for environments where hard disk space on computers is limited.

Installing Gallery content on each computer from the SMART website

Configuring Gallery content using the command line interface

If you're customizing the software using the command line interface, include the `CONTENT_TARGET_PATH` property in the installation package customization. You can also include the `FULL_GALLERY` and `*_CONTENT` properties to define the Gallery content you want to install. For more information on these properties, see *Windows Installer properties and parameters* on page 37.

Configuring Gallery content using SMART Install Manager

If you're customizing the software using SMART Install Manager, complete the procedure in this section to configure Gallery content.

To configure Gallery content using SMART Install Manager

1. Open the software installation package in SMART Install Manager.
2. Click **Product Selection**.

The *Product Selection* page appears.

APPENDIX C

Installing and maintaining Gallery content

3. Select the **SMART Notebook** check box (and the check boxes of any other products you want to install).
4. Click **Gallery Content**.
The *Gallery Content* page appears.
5. Click **Install the Gallery on each computer**.
6. In the *Destination location* box, type the path of the location on each computer where you want to install the Gallery collections (if you don't want to use the default folder **%ALLUSERSPROFILE%\Application Data\SMART Technologies**).
7. Select the check boxes of the Gallery collections you want to install.
8. Publish your changes as an MST file, and then deploy the MSI and MST files.

Installing Gallery content on each computer from a folder on your school's network

Downloading Gallery content

Download Gallery content from the DVD or the Internet to a folder on your school's network following the procedures in this section, and then install the content on each computer from this folder.

NOTE

To download Gallery content from the DVD, you must have Gallery Setup on your computer. Gallery Setup is included with SMART Install Manager, SMART Notebook software and SMART Notebook SE software.

To download Gallery content from the DVD

1. Insert the DVD in your computer's DVD drive.
2. If the DVD browser appears, close it.
3. In Windows Explorer, browse to **[DVD drive]\Content\Gallery Essentials**.
4. Double-click **SMARTEssentials.gallerycollection**.
Gallery Setup starts.
5. In the *Content* tab, select the check boxes of the categories you want to include and clear the check boxes of the categories you don't want to include.

APPENDIX C

Installing and maintaining Gallery content

6. In the *Languages* tab, select the check boxes of the language packs you want to include and clear the check boxes of the language packs you don't want to include.

TIP

To see the language pack names in English, clear the **Show native names** check box.

7. In the *Installation folder for Gallery content* box, type the path to the folder where you want to store the Gallery collection.
8. Click **OK**.
Gallery Setup installs the selected Gallery collection.
9. Click **Finish**.
10. Repeat steps 3 to 9 for the Lesson Activity Toolkit (*[DVD drive]\Content\Lesson Activity Toolkit\Lesson Activity Toolkit.gallerycollection*).

To download Gallery content from the Internet

1. Open the DVD software installation package in SMART Install Manager.
2. Click **Product Selection**.
The *Product Selection* page appears.
3. Select the **SMART Notebook** check box.
4. Click **Gallery Content**.
The *Gallery Content* page appears.
5. Click **Install the Gallery on each computer**.
6. Click **Download**, and then select the location to download the Gallery content to.
7. Click **OK** to start the download.
8. Click **Close** when the download is complete.

Configuring Gallery content using the command line interface

If you're customizing the software using the command line interface, include the `CONTENT_SOURCE_PATH` and `CONTENT_TARGET_PATH` properties in the installation package customization. You can also include the `FULL_GALLERY` and `*_CONTENT` properties to define the Gallery content you want to install. For more information on these properties, see *Windows Installer properties and parameters* on page 37.

Configuring Gallery content using SMART Install Manager

If you're customizing the software using SMART Install Manager, complete the procedure in this section to configure Gallery content.

APPENDIX C

Installing and maintaining Gallery content

■ To configure Gallery content using SMART Install Manager

1. Open the software installation package in SMART Install Manager.
2. Click **Product Selection**.
The *Product Selection* page appears.
3. Select the **SMART Notebook** check box (and the check boxes of any other products you want to install).
4. Click **Gallery Content**.
The *Gallery Content* page appears.
5. Click **Install the Gallery on each computer**.
6. In the *Source location* box, type the path to the folder on your school's network that contains the Gallery content (if you downloaded Gallery collections to your school's network).
7. In the *Destination location* box, type the path of the location on each computer where you want to install the Gallery collections (if you don't want to use the default folder **%ALLUSERSPROFILE%\Application Data\SMART Technologies**).
8. Clear the check boxes of the Gallery collections you don't want to install.
9. Publish your changes as an MST file, and then deploy the MSI and MST files.

Installing Gallery content in a central location

Downloading Gallery content

To place and use Gallery content in a central location on your school's network, you must first download the content from the DVD or the Internet to that location by performing one of the procedures in this section.

i NOTE

To download Gallery content from the DVD, you must have Gallery Setup on your computer. Gallery Setup is included with SMART Install Manager, SMART Notebook software and SMART Notebook SE software.

■ To download Gallery content from the DVD

1. Insert the DVD in your computer's DVD drive.
2. If the DVD browser appears, close it.
3. In Windows Explorer, browse to **[DVD drive]\Content\Gallery Essentials**.

APPENDIX C

Installing and maintaining Gallery content

4. Double-click **SMARTEssentials.gallerycollection**.

Gallery Setup starts.

5. In the *Content* tab, select the check boxes of the categories you want to include and clear the check boxes of the categories you don't want to include.
6. In the *Languages* tab, select the check boxes of the language packs you want to include and clear the check boxes of the language packs you don't want to include.

TIP

To see the language pack names in English, clear the **Show native names** check box.

7. In the *Installation folder for Gallery content* box, type the path to the folder where you want to store the Gallery collection.
8. Click **OK**.
Gallery Setup installs the selected Gallery collection.
9. Click **Finish**.
10. Repeat steps 3 to 9 for the Lesson Activity Toolkit (*[DVD drive]\Content\Lesson Activity Toolkit\Lesson Activity Toolkit.gallerycollection*).

To download Gallery content from the Internet

1. Open the DVD software installation package in SMART Install Manager.
2. Click **Product Selection**.
The *Product Selection* page appears.
3. Select the **SMART Notebook** check box.
4. Click **Gallery Content**.
The *Gallery Content* page appears.
5. Click **Share Gallery content with all computers from a common network location**.
6. If you want to download the Gallery Essentials collection, click **Install** beside *Essentials for Educators*, and then follow the on-screen instructions.
7. If you want to download the Lesson Activity Toolkit collection, click **Install** beside *Lesson Activity Toolkit*, and then follow the on-screen instructions.

Configuring Gallery content using the command line interface

If you're customizing the software using the command line interface, include the NETWORK_CONTENT and CONTENT_TARGET_PATH properties in the installation package customization.

APPENDIX C

Installing and maintaining Gallery content

For more information on these properties, see *Windows Installer properties and parameters* on page 37.

Configuring Gallery content using SMART Install Manager

If you're installing the software using SMART Install Manager, complete the procedure in this section to configure Gallery content.

■ To configure Gallery content using SMART Install Manager

1. Open the software installation package in SMART Install Manager.
2. Click **Product Selection**.
The *Product Selection* page appears.
3. Select the **SMART Notebook** check box (and the check boxes of any other products you want to install).
4. Click **Gallery Content**.
The *Gallery Content* page appears.
5. Click **Share Gallery content with all computers from a common network location**.
6. In the *Gallery location* box, type the path to the folder on your school's network that contains the Gallery content.
7. Publish your changes as an MST file, and then deploy the MSI and MST files.

Modifying Gallery content

After installing the software, you can modify Gallery content using Gallery Setup. This program is available under `%PROGRAMFILES%\Common Files\SMART Technologies\SMART Product Update` and you can run it from a graphical user interface or the command line.

■ To run Gallery Setup from a graphical user interface

1. In Windows Explorer, browse to `%PROGRAMFILES%\Common Files\SMART Technologies\SMART Product Update`.
2. Double-click **Gallery Setup.exe**.
The *Select a Gallery* dialog box appears.
3. Select the Gallery collection you want to modify, and then click **OK**.
Gallery Setup starts.

APPENDIX C

Installing and maintaining Gallery content

4. In the *Content* tab, select the check boxes of the categories you want to include and clear the check boxes of the categories you don't want to include.
5. In the *Languages* tab, select the check boxes of the language packs you want to include and clear the check boxes of the language packs you don't want to include.

TIP

To see the language pack names in English, clear the **Show native names** check box.

6. In the *Installation folder for Gallery content* box, type the path to the folder where you want to store the Gallery collection.
7. Click **OK**.
Gallery Setup updates the selected Gallery collection.
8. Click **Finish**.

To run Gallery Setup from the command line

1. Open a Command Prompt window.
2. Type the following command:

```
"[Path]\Gallery Setup.exe" [Command] [Flags] [Parameters]
```

Where:

- *[Path]* is the path to the **Gallery Setup.exe** file.

NOTE

The default path is **%PROGRAMFILES%\Common Files\SMART Technologies\SMART Product Update**.

- *[Command]* is a command (see *Commands* on the next page).
- *[Flags]* is one or more optional flags for the command (see *Flags* on page 66).
- *[Parameters]* is one or more parameters for the command (see *Parameters* on page 66).

NOTES

- For example commands, see *Examples* on page 68.
- Gallery Setup doesn't support Windows Installer options.

3. Press ENTER.

Gallery Setup updates the selected Gallery collection.

APPENDIX C

Installing and maintaining Gallery content

Commands

The following table defines available commands for Gallery Setup.

Command	Purpose	Notes
--downloadall	Download the entire Gallery collection to a source folder.	
--downloadsomesome	Download specific categories of the Gallery collection to a source folder.	Specify which categories you want to download using the --c parameter.
--installall	Install the entire Gallery collection from the source folder to the destination folder.	If you omit the --source parameter, Gallery Setup doesn't use a default path unless you provide the --allowdownload flag. If you omit the --destination parameter, Gallery Setup uses the default path defined in the Gallery collection's configuration.
--installsomesome	Install specific categories of the Gallery collection from the source folder to the destination folder.	If you omit the --source parameter, Gallery Setup doesn't use a default path unless you provide the --allowdownload flag. If you omit the --destination parameter, Gallery Setup uses the default path defined in the Gallery collection's configuration. Specify which categories you want to download using the --c parameter.
--teamcontent	Register additional Team Content at the folder specified by the --destination parameter.	You must enter an existing Gallery destination.
--mycontent	Set the default My Content path to the folder specified by the --destination parameter.	
--repair	Attempt to detect and optionally remove corrupted galleries.	Include the --allowcleanup parameter to delete corrupted galleries.
--uninstall	Remove the installed Gallery collection.	
--register	Define the location of Gallery content.	Use this command with the --destination and --configuration parameters, or with the --guid parameter.

APPENDIX C

Installing and maintaining Gallery content

Flags

The following table defines available flags for Gallery Setup.

Flag	Purpose	Notes
--remote	Prevent Gallery Setup from registering itself with the SMART software.	This disables the <i>Check for Updates</i> feature and prevents users from updating the content.
--verbose	Output progress of operations to standard output when working in command line mode.	
--overrideproxy	Set Gallery Setup to ignore default (system-wide or previously set) proxy settings where applicable, and use a proxy specified by the --proxy parameter (server:port format), using a user name and password provided by the --username and --password parameters.	You can set a user name and password without --overrideproxy , and still use it for authentication with the default proxy.
--allowdownload	Download the Gallery collection from the default URL specified in the configuration.	Use this flag with the --installall or --installsome parameters when you omit the --source parameter.
--forcedest	Share Gallery content across users.	

Parameters

The following table defines available parameters for Gallery Setup.

Parameter	Value	Purpose	Notes
--source	<i>[Path]</i>	Define the path to a local or network folder where the Gallery content is stored before installation.	If you omit this parameter, the installation program uses the default URL from the Gallery configuration, as specified by the --guid or --configuration parameters.
--destination	<i>[Path]</i>	Define the path to a local or network folder where Gallery Setup installs the Gallery content.	If you omit this parameter, Gallery Setup uses this default path found in the computer's registry: %ALLUSERPROFILES%\Application Data\SMART Technologies\Gallery Essentials.

APPENDIX C

Installing and maintaining Gallery content

Parameter	Value	Purpose	Notes
--configuration	<i>[Path]</i>	Define the full path to a .gallerycollection file, including the file name.	If you omit this parameter, you must provide the --guid parameter to specify a known Gallery collection.
--proxy	<i>[Server:Port]</i>	Specifies the proxy used by Gallery Setup when you include the --overrideproxy flag.	
--guid	<i>[Identifier]</i>	Specify a known Gallery collection to work with.	A Gallery collection is known if Gallery Setup has already opened its .gallerycollection file. In this situation, use this parameter instead of the --configuration parameter.
--c	<i>[Alias]</i>	Download or install the category of the Gallery collection identified by <i>[Alias]</i> . Use this parameter with the --downloads and --install commands.	You can include several --c parameters in a single command. Valid <i>[Alias]</i> values for the Gallery Essentials collection are: <ul style="list-style-type: none"> • admin • arts • english • geography • history • math • people • science • special • sports
--ui	N/A	Specify the user interface level. Use this parameter to show a progress indicator and error messages. If you don't include this parameter, Gallery Setup works silently without a user interface.	Use --register with the --downloadall or --downloads parameters to display the full user interface. Use --register with the --installall or --install parameters to display a minimal user interface.

APPENDIX C

Installing and maintaining Gallery content

Examples

Downloading a Gallery collection

Use the following command to copy a Gallery collection from a specific source folder to a common destination folder:

```
"[Path]\Gallery Setup.exe" --downloadall --destination "[Path]"  
--configuration "[Path]"
```

Downloading certain categories of a Gallery collection

Use the following command to copy only certain categories of a Gallery collection from a specific source folder to a common destination folder:

```
"[Path]\Gallery Setup.exe" --downloadsomesome --destination "[Path]"  
--configuration "[Path]" --c "[Alias 1]" --c "[Alias 2]"
```

Installing a Gallery collection

Use the following command to install a Gallery collection from the default source (as defined in the .gallerycollection file) to a specific destination folder:

```
"[Path]\Gallery Setup.exe" --installall --allowdownload --destination  
"[Path]" --configuration "[Path]"
```

Installing certain categories of a Gallery collection

Use the following command to install certain categories of a Gallery collection from the default source (as defined in the .gallerycollection file) to a specific destination folder:

```
"[Path]\Gallery Setup.exe" --installsome --remote --source "[Path]"  
--allowdownload --destination "[Path]" --configuration "[Path]"  
--c "[Alias 1]" --c "[Alias 2]"
```

Registering installed Gallery collections

If you installed Gallery collections to a network location, use the following command to register the Gallery content with the SMART software on each user's computer:

```
"[Path]\Gallery Setup.exe" --register --remote --forcedest  
--destination "[Path]" --configuration "[Path]"
```

Removing a Gallery collection

Use the following command to remove the Gallery Essentials collection:

```
"[Path]\Gallery Setup.exe" --uninstall --guid gallery.smarttech.com
```

APPENDIX C

Installing and maintaining Gallery content

TIP

To automate the removal of a Gallery collection, you can use the command in a batch file as a startup script.

Changing Gallery content locations

After installing the software, you can do the following:

- Change the location of the **My Content** folder.
- Create or connect to a **Team Content** folder.
- Connect to an RSS feed.

Starting the software in Administration mode

Before you can maintain content folders, you must start the software in Administration mode.

To start SMART Notebook software in Administration mode

1. Open a Command Prompt window.
2. Type the following command:

```
"[Path]\Notebook.exe" /admin
```

Where *[Path]* is the path to the SMART Notebook software program folder.

NOTE

The default path is **%PROGRAMFILES%\SMART Technologies\SMART Notebook.**

3. Press ENTER.

SMART Notebook software starts in Administration mode.

Changing the location of the My Content folder

The **My Content** folder is a location where teachers and students can store content for their individual use.

You can specify the location of the **My Content** folder during installation. If you don't specify a location, the default location is **%APPDATA%\SMART Technologies\Gallery\My Content.**

APPENDIX C

Installing and maintaining Gallery content

■ To change the location of the My Content folder after installation

1. Start the software in Administration mode (see *Starting the software in Administration mode* on the previous page).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Click **Browse**.
The *Browse For Folder* dialog box appears.
5. Browse to and select the new **My Content** folder, and then click **OK**.
6. Click **Close**.
7. Close the software.

Creating or connecting to Team Content folders

All users can create new content and save it in their **My Content** folders. To allow users to share content, you must create or connect to a **Team Content** folder.

TIP

If you create a **Team Content** folder on a computer's hard disk, the folder is available only to users of that computer. However, if you create a **Team Content** folder on a server, the folder is available to all users on the school's network with read and write access to the folder.

■ To create a new Team Content folder

1. Start the software in Administration mode (see *Starting the software in Administration mode* on the previous page).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Click **Create New**.
The *Browse For Folder* dialog box appears.

APPENDIX C

Installing and maintaining Gallery content

5. Browse to and select the folder you want to designate as a **Team Content** folder, and then click **OK**.

NOTE

The software adds an **imsmanifest.xml** file to the **Team Content** folder after you click **OK**. This file identifies the folder as a **Team Content** folder.

6. Click **Close**.
7. Close the software.

To connect to an existing Team Content folder

1. Start the software in Administration mode (see *Starting the software in Administration mode* on page 69).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Click **Add Existing**.
The *Browse For Folder* dialog box appears.
5. Browse to and select the **Team Content** folder, and then click **OK**.
6. Click **Close**.
7. Close the software.

To disconnect a Team Content folder

1. Start the software in Administration mode (see *Starting the software in Administration mode* on page 69).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

APPENDIX C

Installing and maintaining Gallery content

4. Select the folder in the *Team Content* list, and then click **Remove**.



IMPORTANT

If you installed the Gallery Essentials and Lesson Activity Toolkit collections, folders for those collections appear in the *Team Content* list. Do not remove these folders from the list, or users will not be able to access these collections.

5. Click **Close**.
6. Close the software.

Connecting to an RSS feed

You can connect to a public or private RSS feed to send information to your school's SMART Notebook software and SMART Notebook SE software users through the *Gallery* tab.

RSS is a format for delivering regularly changing web content. Many news-related websites, blogs and other publishers broadcast their content as RSS feeds.

To connect to an RSS feed

1. Start the software in Administration mode (see *Starting the software in Administration mode* on page 69).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Type the URL of the RSS feed in the *Online Resources* box.
5. Click **Close**.
6. Close the software.

Appendix D

Removing previous versions

Removing SMART Board software 9.x.....	73
Removing SMART Board software 8.x.....	74
Removing SMART Board software 7.x.....	76
Cleaning the registry.....	77

If you have version 9.0 or earlier of SMART Notebook software (formerly SMART Board software) on your computers, SMART recommends that you remove it before installing the latest version.

Removing SMART Board software 9.x

You or your predecessor installed SMART Board software 9.x using the Windows Installer 3.1 installation utility.

You can remove SMART Board software 9.x using the installation package (if you still have it) or the product code.

■ To remove SMART Board software 9.x

Run the following command to remove the software using the installation package:

```
msiexec /x "[Path]\SMART Board Software.msi" [Parameter]
```

Where

- *[Path]* is the path to the **SMART Board Software.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

OR

APPENDIX D

Removing previous versions

Run the following command to remove the software using the product code:

```
msiexec /x [Product code] [Parameter]
```

Where

- *[Product code]* is the product code for the version of SMART Notebook software you're removing, including the braces (“{” and “}”).

Version	Product code
9.0.1.57	{D2EC1505-9F11-4A94-9644-DCD0299DE491}
9.1.0.40	{BD6516BA-2314-4F2C-9ECD-29BCB1074AFB}
9.1.3.47	{8D757887-9CD3-4F97-9873-E049E1C264CE}
9.1.4.51	{EE2A5345-CBE2-4932-83B0-D628D0D24AF8}
9.5.x.x	{B72EB184-2A42-4B3C-8F8F-D7EF163829B4}
9.7.x.x	{46486451-E60F-42C3-92D7-796D8594688A}

- *[Parameter]* is the installation parameter (see *Parameters* on page 50).

Removing SMART Board software 8.x

You or your predecessor installed SMART Board software 8.x using the InstallShield installation utility.

You can remove SMART Board software 8.x by creating a **setup.iss** file and then using the file to remove the software from all computers.

i NOTE

You need to create the **setup.iss** file only once. You can then use the file to remove the same version of SMART Board software from other computers on your network using a batch file or startup script.

APPENDIX D

Removing previous versions

Before completing the following procedures, determine the product code for the version of SMART Board software installed on the computers.

Version	Product code
8.0.0.52	{7823065C-AA64-425D-A9A3-18BF7B99E944}
8.0.1	{F414173A-7BE1-46C6-811A-51277A4D9E7B}
8.1.0	{155FBC4E-CF09-4698-961B-DF9787E6B8B8}
8.1.1.24	{7AD771BB-B681-4659-B7FA-223FCB1FDF56}
8.1.2.8	{55C574CA-8D71-46F1-9897-98DAE55C0394}
8.1.3.17	{10D2A154-D221-4455-8426-E67D12C092F9}
8.1.4.19	{41CEFD25-0D33-44EA-A19C-5A1EBABFC041}

The product code includes the braces (“{” and “}”).

To create the setup.iss file

1. Run the following command:

```
"C:\Program Files\Common Files\InstallShield\Driver\8\Intel  
32\IDriver.exe" /MProductCode /l1033 /r/z-AddRemove --RemoveReg
```

The InstallShield installation utility removes SMART Board software and creates a **setup.iss** file in the root Windows folder.

2. Move the **setup.iss** file to a location where all computers can access it.

To remove SMART Board software 8.x

Run the following command:

```
"C:\Program Files\Common Files\InstallShield\Driver\8\Intel  
32\IDriver.exe" /MProductCode /l1033 /s /z-AddRemove -RemoveReg  
/f1"[Path to the setup.iss file]\setup.iss"/f2"[Path to the  
uninst.log file]\uninst.log"
```

Where

- *[Path to the setup.iss file]* is the path to the **setup.iss** file you created in the previous procedure.
- *[Path to the uninstall.log file]* is the path to the log file that the InstallShield installation utility creates when it removes the software.

Removing SMART Board software 7.x

You or your predecessor installed SMART Board software 7.x using the InstallShield installation utility.

You can remove SMART Board software 7.x by creating a **setup.iss** file and then using the file to remove the software from all computers.

i NOTE

You need to create the **setup.iss** file only once. You can then use the file to remove the same version of SMART Board software from other computers on your network using a batch file or startup script.

Before completing the following procedures, determine the product code for the version of SMART Board software installed on the computers.

Version	GUID
7.0	{72226969-B20E-439E-B0A1-FD1EE5403CCF}
7.1	{93458E57-1D12-4F01-980D-62D5430048D0}
7.1.1	{14AE43DA-37FE-4B73-99C0-D02E01B48837}
7.1.2	{28E27E54-92A5-4717-A4E5-837D7E894AB4}
7.1.3	{FF332803-8B46-4392-A2F4-8790735F7B26}

The product code includes the braces (“{” and “}”).

To create the setup.iss file

1. Run the following command:

```
RunDll32
C:\PROGRA~1\COMMON~1\INSTAL~1\PROFES~1\RunTime\0701\Intel32\
Ctor.dll,LaunchSetup "C:\Program Files\InstallShield
Installation Information\GUID\setup.exe" /r -l0x9 --AddRemove
```

The InstallShield installation utility removes SMART Board software and creates a **setup.iss** file in the root Windows folder.

2. Move the **setup.iss** file to a location where all computers can access it.

APPENDIX D

Removing previous versions

To remove SMART Board software 7.x

Run the following command:

```
RunDll32 C:\PROGRA~1\COMMON~1\INSTAL~1\PROFES~1\RunTime\0701\Intel32\
Ctor.dll,LaunchSetup "C:\Program Files\InstallShield Installation
Information\GUID\setup.exe" /s -l0x9 --AddRemove /f1"[Path to the
setup.iss file]\setup.iss" /f2"[Path to the setup.log
file]\setup.log"
```

Where

- *[Path to the setup.iss file]* is the path to the **setup.iss** file you created in the previous procedure.
- *[Path to the setup.log file]* is the path to the log file that the InstallShield installation utility creates when it removes the software.

Cleaning the registry

When you remove a previous version of SMART Notebook software, the removal process can leave behind registry entries, preventing you from installing the latest version of the software.

CAUTION

Use caution when you open the Windows registry editor. If you incorrectly modify the Windows registry, you can damage your computer's operating system. Back up your registry before performing the following procedures.

If you're still having difficulties with remaining registry files, ensure that you have administrator rights and manually search the registry for SMART Notebook software, SMART Board software or SMART Product Drivers files.

CAUTION

Do not remove files for other SMART products you want to retain. If you are unsure, contact SMART.

APPENDIX D

Removing previous versions

■ To manually clean the registry

1. Press START+R.

The *Run* dialog box appears.

2. Type **regedit**, and click **OK**.

The *Registry Editor* window appears.

3. Locate SMART files in the following locations, and then delete them:
 - **HKEY_CURRENT_USER\Software\SMART Technologies Inc.**
 - **HKEY_LOCAL_MACHINE\Software\SMART Technologies Inc.**
 - **HKEY_CURRENT_USER\Software\SMART Technologies**
 - **HKEY_LOCAL_MACHINE\Software\SMART Technologies**
4. Close the *Registry Editor* window.
5. Restart your computer.

Index

A

activation 20, 37, 43
ActiveX 2-3, 18
administration content 41, 67
Administration mode 69
Adobe Flash Player 2-3, 18
Albanian 46, 54
Arabic 46, 53-54
arts content 42, 67

B

Basque 46, 53-54
browsers See web browsers

C

Catalan 46, 53-54
certificate file 45
checklist i
Chinese 46, 53-54
command line interface 17, 31
computer imaging 20
computer requirements 2
Croatian 46, 53, 55
culture content 42, 67
Customer Experience Program 43
Czech 46, 53, 55

D

Danish 46, 53, 55
desktop icons 39
Diffie-Hellman encryption 45

DirectX 2
document See SMART Document
camera Camera
downloads 3
drivers
Print Capture See Print Capture Driver
SMART Document Camera 12, 43
unsigned 15, 46
Dutch 47, 53, 55

E

encryption 14, 45
English 47, 53, 55
English content 42, 67
Essentials for See Gallery
Educators collection Essentials
collection
Estonian 47, 55
evaluation content 41, 67
examples
Gallery command lines 68
Windows Installer command lines 50

F

Finnish 47, 54-55
Flash See Adobe Flash Player
French 47, 54-55

G

Gaelic 47, 55
Galician 47, 55
Gallery content
changing location of 69
installing 58

INDEX

modifying 63
Gallery Essentials 58
geography content 42, 67
German 47, 54-55
Greek 47, 54-55

H

hard disk space 2
Hebrew 47, 54-55
Hindi 47, 55
history content 42, 67
Hungarian 47, 54-55

I

Icelandic 47, 54-55
imaging 20
Install Manager See SMART Install
Manager
installation overview i
Internet access 49
Internet Explorer 2
Italian 47, 54-55

J

Japanese 47, 54-55

K

Kazakh 47, 55
Korean 47, 54-55

L

language arts content 42, 67
language files 53
language setup 39
Latvian 47, 55
Lesson Activity Toolkit 58
Lesson Activity Toolkit collection 42

Lithuanian 47, 55

M

Macedonian 47, 55
Malay 47, 55
Maori 47, 55
mathematics content 42, 67
MSI files 3, 28
MSP files 29
MST files 7, 39, 53
My Content folder 11, 42, 69

N

Norwegian 47, 54-55
notification area 44

O

overview i

P

parameters 50
people and culture content 42, 67
Polish 47, 54-55
Portuguese 47, 54-55
prerequisites
computer 2
knowledge 2
Print Capture Driver 12, 43
product key 37
protection software 20

R

RAM 2
recreation content 42, 67
registry file 43
requirements 2
Romanian 47, 54-55

INDEX

Russian 48, 54-55

S

science content 42, 67

Serbian 48, 54-55

serial number See product key

service ports 14

shortcuts 39

Silent mode 50

Slovak 48, 54-55

Slovenian 48, 54, 56

SMART Document Camera 12, 43

SMART Install Manager

about 5

downloading 5

installing 5

using 6

SMART Notebook SE 14, 44

SMART Product Update 40

SMART Response 44

SMART Response CE 14, 44

SMART Response LE 13, 44

SMART Response PE 13, 44

SMART Response VE 13

SMART Response XE 13, 44

SMART School files 45

SMART Tools 46

SNMP 15, 46

Spanish 48, 54, 56

special needs content 42, 67

sports content 42, 67

SSL digital certificates 14

startup 44, 46

Swahili 48, 56

Swedish 48, 54, 56

system recovery software 20

T

Tablet PC support 46

Team Content folders 42, 70

technology content 42, 67

third-party applications 19, 36

Turkish 48, 54, 56

U

Ukrainian 48, 56

unsigned drivers 15, 46

updates 27

V

Valencian 48, 56

W

web browsers 2

Welsh 48, 56

Windows 7 operating system 15, 46

Windows Installer 37

Windows operating systems 2

Windows Vista operating system 15, 46

X

XML 7

SMART Technologies

smarttech.com/support

smarttech.com/contactsupport