



## Specifications

# SMART kapp iQ

## SMART kapp iQ™ 65 board

### Overview

With a SMART kapp iQ™ 65 board, you can capture notes and ideas, present information and collaborate with others in simple but powerful ways.

Connect a Bluetooth®-enabled mobile device to the board by scanning the Quick Response (QR) code on the board's screen. When you first connect your mobile device, you're directed to the Apple App Store or Google Play™ to download the SMART kapp® app. After installing the app, you can connect to your board and share notes with others. You can write notes in black or red ink using the provided pens and erase notes with the pens' erasers or with your palm or fist.


The board's 4K ultra-high-definition resolution display provides optimal image clarity and viewing from any angle.

See [education.smarttech.com](http://education.smarttech.com) for more information about SMART kapp iQ.



### Dimensions and weights<sup>1</sup>

#### Dimensions



#### Weight

138 lb. (62.4 kg)

#### Shipping dimensions (including pallet)

69 1/4" × 49 5/8" × 11 7/8"  
(175.8 cm × 126.1 cm × 30.3 cm)

#### Shipping weight

182 lb. (82.4 kg)

<sup>1</sup>All dimensions ± 1/8" (0.3 cm). All weights ± 2 lb. (0.9 kg).

## Hardware

### Interaction

Touch technology	DViT® (Digital Vision Touch) technology
Multitouch capabilities	8 touches <sup>2</sup>
Object awareness	Behavior adjusts automatically to whatever tool or object is being used, whether it's a pen, finger, eraser or palm.
Pen ID™	Two people can write independently and simultaneously, using different colored ink.

### Display

Type	LED
Aspect ratio	16:9
Optimal resolution	3840 × 2160 at 30 Hz (HDMI® input only)
Horizontal frequency	244–280 kHz (analog and digital)
Vertical frequency	24–120 Hz
Contrast ratio (typical)	1400:1
Brightness (maximum)	360 cd/m <sup>2</sup>
Pixel pitch	0.372 mm
Gamut	72% of NTSC
Viewing angle	178°
Response time (typical)	8 ms



<b>Wireless technology</b>	Bluetooth 4.0 dual mode (backwards compatible with Bluetooth 2.1 + EDR)
<b>Capture options</b>	Establish a Bluetooth wireless connection with a supported mobile device (see below) by scanning the board's unique QR code
<b>Presence detection</b>	Presence detection sensor on the bottom frame
<b>Audio</b>	10 W integrated side-firing speakers (×2)
<b>Noise level</b>	35 dBA
<b>Included cables and accessories</b>	8' (2.4 m) country-specific power cable 16' 5" (5 m) USB cable <sup>3</sup> Pen (×2)
<b>Included hardware</b>	AM30-ENT appliance

<sup>2</sup>Requires SMART Product Drivers to be installed, and some applications might not support 8 touches

<sup>3</sup>HDMI cable not included (See *Cable requirements* for HDMI cable requirements.)

**Mounting holes** For a standard VESA® 400 mm × 400 mm mounting plate  
 13 3/4" (34.9 cm) from the bottom of the interactive flat panel

**Mounting bracket depth** Minimum depth of 1 5/8" (4.2 cm) for all components on the back of the interactive flat panel to clear the wall

## Connectors

<b>Side</b>	Side connector panel:	AM30-EDU appliance:
	USB 2.0 Type-B HDMI 1.4 in Stereo 3.5 mm out RS-232 in	USB 3.0 Type-A (×2) USB 2.0 Type-B <sup>4</sup> USB 2.0 Type-B HDMI 1.4 in HDCP encrypted HDMI 1.4 out RJ45
<b>Bottom</b>	USB 2.0 Type-A	
<b>Back</b>	AC power inlet	

## Installation requirements

**Board** See the *SMART kapp IQ boards administrator's guide* ([smarttech.com/kb/171038](http://smarttech.com/kb/171038))

### SMART kapp app

Apple devices iOS 8.1 or later operating system software  
 50 MB of storage  
 iPhone 4S or later  
 Third generation iPad or later  
 First generation iPad mini or later  
 Fifth generation iPod touch or later

Android™ devices Android 4.4.4 (KitKat) or later operating system  
 50 MB of storage (internal or SD card)  
 1024 MB of RAM  
 720p or better screen resolution  
 Bluetooth 2.1 + EDR  
 3 megapixel or better rear-facing camera (recommended)

### SMART kapp viewer

Mobile Safari for iOS 8.1 or later operating system software  
 Chrome™ for Android 39.0.2171.93 or later

Desktop Internet Explorer® 10 or later  
 Chrome 39.0.2171.95 or later  
 Firefox® 34.0.5 or later  
 Safari 8.0 or later

<sup>4</sup>For service use only

### Room computers and guest laptops

General requirements	See <a href="https://smarttech.com/kb/170978">smarttech.com/kb/170978</a>
4K UHD	Graphics card that can support 3840 × 2160 resolution at 30 Hz and that has 1 GB DDR 5 memory See <a href="https://kb.smarttech.com/?q=15546">kb.smarttech.com/?q=15546</a>

### Cable requirements

<b>HDMI</b>	HDMI 1.4 compliant or better Maximum length: 23' (7 m) Notes: Use only certified HDMI cables that have been tested to support the performance standard you require. The performance of cables longer than 23' (7 m) is highly dependent on the quality of the cable.
-------------	--

<b>USB</b>	Maximum length: 16' (5 m)
------------	---------------------------

**Important** Using cables that exceed these maximum lengths may produce unexpected results, degraded picture quality or USB connectivity. Refer to the *SMART installation standards* ([smarttech.com/kb/171035](https://smarttech.com/kb/171035)) for a comprehensive guide on cables and extensions for SMART hardware products.

### Storage and operating requirements

<b>Power requirements</b>	100V to 240V AC, 50 Hz to 60 Hz
---------------------------	---------------------------------

#### Power consumption at 77°F (25°C)

Standby mode	48 W
Normal operating	187 W
Maximum operating	199 W

<b>Operating temperature</b>	41–95°F (5–35°C)
------------------------------	------------------

<b>Storage temperature</b>	-4–140°F (-20–60°C)
----------------------------	---------------------

<b>Humidity</b>	5–80% relative humidity, non-condensing
-----------------	---

### Certification and compliance

<b>Regulatory certification</b>	UL (U.S./Canada), FCC, IC, CE Mark, RCM Mark
---------------------------------	--

#### Environmental compliance

European Union	REACH, RoHS, WEEE and Packaging
U.S.	Packaging and Conflict Minerals

## Purchasing information

### Order number

KAPP-IQ65                      SMART kapp IQ 65 board

---

### Optional accessories

WM-SBID-501                      Fixed wall mount for SMART interactive flat panels

---

Other                                      See [smarttech.com/businessaccessories](http://smarttech.com/businessaccessories)

---

### Warranty

Two-year limited equipment warranty

---

[smarttech.com/support](http://smarttech.com/support)  
[smarttech.com/contactsupport](http://smarttech.com/contactsupport)

© 2016 SMART Technologies ULC. All rights reserved. SMART kapp, SMART kapp IQ, DVIT, Pen ID, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. iPhone, iPad, iPod touch and Safari are trademarks of Apple Inc., registered in the U.S. and other countries. Google Play, Android and Chrome are trademarks of Google Inc. The Bluetooth word mark is owned by the Bluetooth SIG, Inc. and any use of such marks by SMART Technologies ULC is under license. "HDMI" and all associated logos are trademarks of HDMI Licensing, LLC. All other third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: [www.smarttech.com/patents](http://www.smarttech.com/patents). Contents are subject to change without notice. 11/2016.