

#### **Specifications**

# **SMART Board® 6075 interactive flat panel**

Model SPNL-6075

## Overview

The SMART Board® 6075 interactive flat panel combines SMART's proprietary DViT® (Digital Vision Touch) technology with a premium touch experience and the power of SMART Notebook® collaborative learning software on a 75" LED display. For simple and powerful digital whiteboarding, this interactive flat panel is also SMART kapp  $iQ^{\text{\tiny{M}}}$  enabled.

The 4K ultra-high-definition display provides optimal image clarity and wide viewing angles. With the new Pen ID™ feature, you can assign different appearances to the pens and write or draw over any application in digital ink.




Object Awareness allows you to perform mouse functions with your finger, write in digital ink with the pen, and erase with your palm or eraser—all without switching tools or modes. You can use a variety of gestures in applications, and two users can write or draw at the same time.

See education.smarttech.com for more information about this product.

# Dimensions and weights<sup>1</sup>

### **Dimensions**



### Weight

185 lb. (84 kg)

Shipping dimensions (including pallet)

75 3/8" × 54 3/8" × 14" (191.6 cm × 138 cm × 35.5 cm)

**Shipping weight** 

238 lb. (108 kg)



As an ENERGY STAR® certified signage display, the SMART Board 6075 interactive flat panel meets strict energy efficiency guidelines set by the U.S. Environmental Protection Agency and Department of Energy.

 $^{1}$ All dimensions  $\pm$  1/8" (0.3 cm). All weights  $\pm$  2 lb. (0.9 kg).

#### Hardware

#### Interaction

Touch technology DViT technology

Multitouch capabilities 8 touches on Windows® and Mac computers<sup>2</sup>

Gesture support Windows 7, Windows 8.1 and Windows 10 operating systems

OS X 10.9, 10.10 and 10.11 operating system software

Object awareness Behavior adjusts automatically to whatever tool or object is being used, whether it's a pen,

finger, eraser or palm.

Pen ID Two people can write independently and simultaneously, using different colored ink.

Display

LED Type

Aspect ratio 16:9

Optimal resolution 3840 × 2160 at 30 Hz (HDMI®) or 60 Hz (DisplayPort)

Horizontal frequency 122-140 kHz (typically 135 kHz)

Vertical frequency 47-63 Hz (typically 60 Hz)

Contrast ratio (typical) 5000:1

Brightness (maximum) 360 cd/m<sup>2</sup>

Pixel pitch 0.429 mm × 0.429 mm

72% of NTSC Gamut

Viewing angle 178°

Response time (typical) 8 ms

Presence detection Presence detection sensor on the bottom frame

Audio 10 W integrated side-firing speakers (×2)

Noise level <35 dBA

Included cables and

8' (2.4 m) country-specific power cable

16' 5" (5 m) USB cable<sup>3</sup> accessories

Pen (×2)

Mounting holes For a standard VESA® 600 mm × 400 mm mounting plate

13 3/4" (34.9 cm) from the bottom of the interactive flat panel

Mounting bracket depth Minimum depth of 15/8" (4.2 cm) for all components on the back of the interactive flat panel to

clear the wall

<sup>&</sup>lt;sup>2</sup>Requires SMART Product Drivers to be installed, and some applications might not support 8 touches

<sup>&</sup>lt;sup>3</sup>HDMI cable not included (See *Installation requirements* for HDMI cable requirements.)

## Connectors

Side Side connector panel: Accessory slot:

USB 2.0 Type-B (×3) OPS interface supporting HDMI, DisplayPort

and USB

HDMI 1.4 in (×2) DisplayPort in Stereo 3.5 mm out

RS-232 in

Bottom USB 2.0 Type-A

**Back** AC power inlet

# Installation requirements

Interactive flat panel See the SMART Board 6000 series interactive flat panels administrator's quide

(smarttech.com/kb/170641)

#### Room computers and guest laptops

General requirements See smarttech.com/SMARTNotebookReleaseNotes

4K UHD Graphics card that can support 3840 × 2160 resolution at 30 Hz and that has 1 GB DDR 5 memory

See kb.smarttech.com/?q=15546

HDMI cable HDMI 1.4 compliant or better

Maximum recommended passive length of 25' (7.6 m)

Mini-computers

General requirements See smarttech.com/SMARTNotebookReleaseNotes

Dimensions Smaller than 10"  $\times$  10"  $\times$  2" (25.4 cm  $\times$  25.4 cm  $\times$  5.1 cm)

Weight Less than 10 lb. (4.5 kg)

Mounting VESA 75 mm × 75 mm or 100 mm × 100 mm mounting pattern

# Storage and operating requirements

**Power requirements** 100V to 240V AC, 50 Hz to 60 Hz

### Power consumption at 77°F (25°C)

Standby mode <2 W

Normal operating <13

(out-of-box)

<131 W

Maximum operating (with accessories)

315 W

Operating temperature 41–9

41-95°F (5-35°C)

Storage temperature

-4-140°F (-20-60°C)

Humidity

5–80% relative humidity, non-condensing

## Certification and compliance

Regulatory certification UL (U.S./Canada), FCC, IC, EMC, LV, VCCI, PSE, KC Mark

**Environmental compliance** 

European Union REACH, RoHS, WEEE and Packaging

U.S. Packaging and Conflict Minerals

# Purchasing information

#### Order number

SPNL-6075 SMART Board 6075 interactive flat panel, including a SMART Notebook software license key

**Optional accessories** 

WM-SBID-501 Fixed wall mount for SMART interactive flat panels

UGK-KAPPIQ-AM30-EDU SMART kapp iQ for education appliance for SMART Board 6000 series interactive flat panels

Other See smarttech.com/accessories

Warranty Two-year limited equipment warranty

**Extended warranty** 

EWY1-SPNL-6075 One-year warranty extension

EWY3-SPNL-6075 Three-year warranty extension

smarttech.com/support smarttech.com/contactsupport

© 2016 SMART Technologies ULC. All rights reserved. SMART Board, SMART Notebook, SMART kapp iQ, DVIT, Pen ID, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. Windows is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. HDMI and all associated logos are trademarks of HDMI Licensing, LLC. All other third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: www.smarttech.com/patents. Contents are subject to change without notice. 08/2016.