

Comparison

SMART Board® displays for enterprise




Comparing SMART Board display series 1
 Comparing SMART Board 7000 Pro series interactive display models 5
 Comparing SMART Board 6000 Pro series interactive display models 6
 Comparing SMART Board 2000 Pro series display models 7

There is no richer way to create, share and interact with digital content in meeting rooms than with SMART Board® displays. Each display combines premium features and SMART software for a completely collaborative learning experience. To find the solution that best meets your needs, use the following tables to compare the key features of each display.




Comparing SMART Board display series

Feature	SBID-7000P	SPNL-6000P	SBD-2000P
			
General			
Screen sizes (diagonal)	75" 86"	65" 75"	75"
Glass	Fully heat-tempered	Fully heat-tempered	N/A




COMPARISON
SMART BOARD DISPLAYS FOR ENTERPRISE

Feature	SBID-7000P 	SPNL-6000P 	SBD-2000P 
iQ embedded computing	Included	Included	Not available
Intel® Compute Card	Select models	Select models	Not available
Bundled SMART software (1 year)	1 SMART Meeting Pro® software room license and 10 personal licenses	1 SMART Meeting Pro software room license and 10 personal licenses	10 SMART Meeting Pro software personal licenses
Standard warranty	3-year limited equipment warranty for the display 1-year limited equipment warranty for the pens 1- and 2-year extensions available	3-year limited equipment warranty 1- and 2-year extensions available	3-year limited equipment warranty 1- and 2-year extensions available
Services	1-year basic support service plan included 3-year basic, 1- and 3-year elite and PLUS on-site plans available	1-year basic support service plan included 3-year basic, 1- and 3-year elite and PLUS on-site plans available	1-year basic support service plan included 3-year basic, 1- and 3-year elite and PLUS on-site plans available
ENERGY STAR® certified	Yes	Yes	No
Regulatory certification and environmental compliance	See model specifications	See model specifications	See model specifications
Touch and digital ink			
Touch technology	HyPr Touch™ (Hybrid Precision Touch) technology	DViT® (Digital Vision Touch) technology	Non-touch display series


COMPARISON
SMART BOARD DISPLAYS FOR ENTERPRISE

Feature	SBID-7000P 	SPNL-6000P 	SBD-2000P 
Multitouch capability	Yes	Yes	N/A
Simultaneous interaction points	16 (10 touch, 4 pen, 2 eraser)	8 touch (Windows® and Mac)	N/A
Object awareness™	Yes	Yes	N/A
Silktouch™ technology	Yes	Yes	N/A
SMART ink® technology	Yes	Yes	N/A
Pen ID™	Yes	Yes	N/A
Included pens and eraser	4 pens (black, red, blue and green) 1 eraser	2 pens (black and red)	N/A
Display			
Backlighting	e-LED	e-LED	LED
Resolution	4K Ultra HD	4K Ultra HD	4K Ultra HD
Aspect ratio	16:9	16:9	16:9
LED lifespan	50,000 hours	50,000 hours	30,000 hours
Connections			
Computer connections	USB-B (×4) USB-A (×2) RJ45 (×2) RS-232 in RS-232 out	USB-B (×3) USB-A RS-232	RJ45 RS-232

COMPARISON
SMART BOARD DISPLAYS FOR ENTERPRISE

Feature	SBID-7000P 	SPNL-6000P 	SBD-2000P 
Video inputs	HDMI® 1.4 HDMI 2.0 DisplayPort 1.3 VGA	HDMI 1.4 (×2) DisplayPort 1.2	HDMI (×2) DisplayPort 1.2 VGA Component
Video input source switching	Yes (with on-screen preview)	Yes	Yes
Additional audio inputs	Stereo 3.5 mm (VGA video input only)	N/A	Stereo 3.5 mm RCA
Audio outputs	Stereo 3.5 mm S/PDIF	Stereo 3.5 mm	RCA
HDCP support	2.3 on HDMI 2.0 connector	1.4	1.4
Other features and components			
Convenience panel	Power, volume and freeze screen buttons USB-A (×2) USB-B HDMI	N/A	N/A
Accessory slot	OPS interface supporting HDMI or DisplayPort and USB	OPS interface supporting HDMI or DisplayPort and USB	Not available
Mini PC mounting points	Yes	Yes	Yes
Presence detection	2 sensors	1 sensor	Not available
Integrated speakers	10 W (×2)	10 W (×2)	10 W (×2)
Freeze screen feature	Yes	Yes	Yes
Remote control	Not required	Not required	Included

Comparing SMART Board 7000 Pro series interactive display models

Feature	75"	86"
		
Model number	SBID-7275P¹ SBID-7375P²	SBID-7286P³ SBID-7386P⁴
Weight	174 lb. (79 kg)	205 lb. (91 kg)
Contrast ratio	5000:1	5000:1
Brightness	360 cd/m ²	360 cd/m ²
Viewing angle	178°	178°
Noise level	<30 dBA	<30 dBA
Power requirements	100V AC–240V AC 50 Hz–60 Hz	100V AC–240V AC 50 Hz–60 Hz
ENERGY STAR certified	Yes	Yes
Wall mount (sold separately)	VESA® 600 mm × 400 mm mounting plate	VESA 600 mm × 400 mm mounting plate



¹SMART Board 7075 Pro interactive display with iQ

²SMART Board 7075 Pro interactive display with iQ and Intel Compute Card

³SMART Board 7086 Pro interactive display with iQ

⁴SMART Board 7086 Pro interactive display with iQ and Intel Compute Card

Comparing SMART Board 6000 Pro series interactive display models

Feature	65"	75"
		
Model number	SPNL-6265P⁵ SPNL-6365P⁶	SPNL-6275P⁷ SPNL-6375P⁸
Weight	134 lb. (60.9 kg)	185 lb. (84 kg)
Contrast ratio	1200:1	5000:1
Brightness	338 cd/m ²	360 cd/m ²
Viewing angle	178°	178°
Noise level	<35 dBA	<35 dBA
Power requirements	100V AC–240V AC 50 Hz–60 Hz	100V AC–240V AC 50 Hz–60 Hz
ENERGY STAR certified	Yes	Yes
Wall mount (sold separately)	VESA 300 mm × 400 mm mounting plate	VESA 600 mm × 400 mm mounting plate

⁵SMART Board 6065 Pro interactive display with iQ

⁶SMART Board 6065 Pro interactive display with iQ and Intel Compute Card

⁷SMART Board 6075 Pro interactive display with iQ

⁸SMART Board 6075 Pro interactive display with iQ and Intel Compute Card

Comparing SMART Board 2000 Pro series display models

Feature	75"
Model number	SBD-2075P
Weight	70 lb. (31.6 kg)
Contrast ratio	5000:1
Brightness	450 cd/m ²
Viewing angle	178°
Noise level	<30 dBA
Power requirements	100V AC–240V AC 50 Hz–60 Hz
ENERGY STAR certified	No
Wall mount (sold separately)	VESA 600 mm × 400 mm mounting plate

smarttech.com/support
smarttech.com/contactsupport

© 2017–2018 SMART Technologies ULC. All rights reserved. SMART Board, SMART Meeting Pro, SMART Ink, DViT, HyPr Touch, Object awareness, Pen ID, Silktouch, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. "HDMI" and all associated logos are trademarks of HDMI Licensing, LLC. VESA is a registered trademark of The Video Electronics Standards Association. All other third-party product and company names may be trademarks of their respective owners. Contents are subject to change without notice. 09/2018.