

## Comparison

# SMART Podium ID422w, ID370 and ID350 Interactive Pen Display

The SMART Podium (formerly the Sympodium™ interactive pen display) enables you to connect your interactive pen display to a computer and projector. SMART Podium interactive pen displays are the perfect presentation tool.

	SMART Podium ID422w	SMART Podium ID370 (formerly Sympodium ID370)	SMART Podium ID350 (formerly Sympodium ID350)
<b>Size</b>	22 1/4" W × 15 1/4" H × 2 1/8" D (56.4 cm × 38.5 cm × 5.6 cm)	15 3/4" W × 14 1/4" H × 2 1/4" D (40 cm × 36.2 cm × 5.7 cm)	13 1/2" W × 11 3/4" H × 1 7/8" D (34.3 cm × 29.8 cm × 4.8 cm)
<b>Display Area</b>	18 3/4" W × 10 5/8" H (47.7 cm × 26.8 cm)	13 3/8" W × 10 3/4" H (34 cm × 27.3 cm)	12" W × 9" H (30.5 cm × 22.9 cm)
<b>Diagonal</b>	22" (56 cm)	17" (43.2 cm)	15" (38.1 cm)
<b>Weight</b>	18 lb. 12 oz. (8.5 kg)	13 lb. 4 oz. (6 kg)	10 lb. (4.5 kg)
<b>Aspect Ratio</b>	Native widescreen 16:9, flexible scaling options to support 4:3 and 16:10	4:3	4:3
<b>Resolution</b>	1080p (1920 × 1080)	SXGA (1280 × 1024)	XGA (1024 × 768)
<b>Brightness</b>	200 cd/m <sup>2</sup> (typical)	300 cd/m <sup>2</sup> (typical)	250 cd/m <sup>2</sup> (typical)
<b>Color Depth</b>	16.8 million	16.2 million	16.2 million
<b>Contrast Ratio</b>	650:1 (typical)	500:1 (typical)	500:1 (typical)
<b>Synchronization</b>			
<b>Horizontal:</b>	30 kHz–80 kHz	30 kHz–56.5 kHz	30 kHz–56.5 kHz
<b>Vertical:</b>	56 Hz–76 Hz	50 Hz–75 Hz	50 Hz–70 Hz
<b>Connectivity</b>	DVI and VGA	VGA	VGA

	<b>SMART Podium ID422w</b>	<b>SMART Podium ID370 (formerly Sympodium ID370)</b>	<b>SMART Podium ID350 (formerly Sympodium ID350)</b>
<b>Cables</b>	DVI-D to DVI-D DVI-A to VGA USB AC power cable	VGA USB AC power cable	VGA USB AC power cable
<b>Power Consumption</b>	54 W maximum	37 W maximum	23 W maximum
<b>Plug and Play</b>	DDC2B, DDC/CI	DDC2B, EDID 1.3	DDC2B, EDID 1.3
<b>Video IN</b>	DVI-I	HD15 (F)	HD15 (F)
<b>Video OUT</b>	DVI-I	HD15 (F)	HD15 (F)
<b>USB Interface</b>	1 × USB 2.0 receptacle to connect the SMART Podium to your computer  3 × USB 2.0 hub to connect a mouse, keyboard or memory storage device	1 × USB 2.0 receptacle to connect the SMART Podium to your computer  2 × USB 2.0 hub to connect a mouse, keyboard or memory storage device	1 × USB 2.0 receptacle to connect the SMART Podium to your computer  2 × USB 2.0 hub to connect a mouse, keyboard or memory storage device
<b>Pen</b>	Battery-free, tethered, enhanced pen with a side switch that has two programmable functions	Battery-free, tethered pen	Battery-free, tethered pen
<b>Pen Tool Buttons</b>	Select, Digital Ink (black, blue, red), Eraser	Select, Digital Ink (black, blue, red), Eraser	Select, Digital Ink (black, blue, red), Eraser
<b>Function Buttons</b>	Screen Capture Toolbar, SMART Notebook, Keyboard, Right-Click	Screen Capture Toolbar, SMART Notebook, Keyboard, Right-Click, Floating Tools	Screen Capture Toolbar, SMART Notebook, Keyboard, Right-Click, Floating Tools
<b>Power Indicator</b>	Indicator is green when a video signal is present, and amber when a video signal isn't present. Indicator is amber when sleep mode is active.	Indicator is blue when a video signal is present, and orange when a video signal isn't present. Blue and orange lights blink when power management is active.	Indicator is blue when a video signal is present, and orange when a video signal isn't present. Blue and orange lights blink when power management is active.
<b>Status Indicator</b>	Indicator is green when you press an interactive display button, or the pen touches the interactive screen.	Indicator is blue when the tip switch is pressed.	Indicator is blue when the tip switch is pressed.

	<b>SMART Podium ID422w</b>	<b>SMART Podium ID370 (formerly Symposium ID370)</b>	<b>SMART Podium ID350 (formerly Symposium ID350)</b>
<b>Compatible Software</b>	SMART Notebook software 10 SP3 and SMART product drivers 10 SP6 or later	SMART Board™ software 9.x and SMART Notebook software 10 or later	SMART Board software 9.x and SMART Notebook software 10 or later
<b>Projector</b>	WXGA or XGA	XGA or SXGA	XGA
<b>Backlight Life</b>	50,000 hours (nominal)	30,000 hours (nominal)	30,000 hours (nominal)

www.smarttech.com/support www.smarttech.com/contactsupport  
 Support +1.403.228.5940 or Toll Free 1.866.518.6791 (U.S./Canada)

