

Release Notes

SMART Response CE 2009

About These Release Notes

These release notes summarize the new features introduced in SMART Response CE.

Product Information

SMART Response CE allows teachers to gain insight into how well students understand lessons. Teachers can ask questions spontaneously during class or they can prepare assessments in advance using SMART Notebook software.

Specifications

Teacher Software (SMART Response CE, SMART Notebook, SMART Board™ drivers)

- Supported operating systems:
 - Windows® XP operating systems
 - Windows Vista® operating systems (32-bit editions only)

- Windows XP operating system specifications:
 - Pentium® III 750 MHz or later x86 processor
 - 512 MB of RAM (1 GB recommended)
 - 420 MB free hard disk space for basic installation (1.1 GB for full installation with Gallery content)
 - 800 × 600 or higher resolution display with 32-bit color quality
 - Internet Explorer® Internet browser 6.0 or later
 - Adobe® Reader® 8 or later
 - Adobe Flash® Player 10
 - Windows Media® Player 9 or later for SMART Recorder
- Windows Vista operating system specifications:
 - Intel® Core™ Duo 1.5 GHz or later x86 processor
 - 1 GB of RAM (2 GB recommended)
 - 420 MB free hard disk space for basic installation (1.1 GB for full installation with Gallery content)
 - 800 × 600 or higher resolution display with 32-bit color quality
 - Internet Explorer Internet browser 7.0 or later
 - Adobe Reader 8 or later
 - Adobe Flash Player 10
 - Windows Media Player 11 or later for SMART Recorder

Student Software (SMART Notebook SE)

- Supported operating systems:
 - Windows XP operating systems
 - Windows Vista operating systems (32-bit editions only)

- Windows XP operating system specifications:
 - Pentium III 750 MHz or later x86 processor
 - 512 MB of RAM (1 GB recommended)
 - 200 MB free hard disk space for basic installation (760 MB for handwriting recognition in all supported languages, 1.4 GB for full installation with Gallery content)

i NOTE

Handwriting recognition in all support languages requires the installation of SMART Board drivers on the students' computers.

- 800 × 600 or higher resolution display with 32-bit color quality
 - Internet Explorer Internet browser 6.0 or later
 - Adobe Reader 8 or later
 - Adobe Flash Player 10
- Windows Vista operating system specifications:
 - Intel Core Duo 1.5 GHz or later x86 processor
 - 1 GB of RAM (2 GB recommended)
 - 200 MB free hard disk space for basic installation (760 MB for handwriting recognition in all supported languages, 1.4 GB for full installation with Gallery content)

i NOTE

Handwriting recognition in all support languages requires the installation of SMART Board drivers on the students' computers.

- 800 × 600 or higher resolution display with 32-bit color quality
- Internet Explorer Internet browser 7.0 or later
- Adobe Reader 8 or later
- Adobe Flash Player 10

Networking

SMART Response CE works with both wired and wireless networks and requires a 10 Mbps TCP/IP network interface adapter.

SMART Response CE supports the 802.11g protocol for wireless networks. You can connect up to 30 students wirelessly using consumer-grade routers. For better performance, use a commercial-grade router such as the Cisco® Aironet® wireless access point.

SMART Response CE 2009 Summary

Highlights

- Allows teachers to create assessments and deliver them to their students using SMART Notebook SE (on a wired or wireless network).
- Allows teachers and school administrators to encrypt communication between SMART Response CE and SMART Notebook SE using Diffie-Hellman or SSL.
- Introduces a new question type, Short Answer, in addition to the ones provided in SMART Response (True or False, Yes or No, Multiple Choice, Multiple Answer, and Number, Fraction, Decimal).
- Allows teachers to view the dimensions of students' screens when creating questions in SMART Notebook.
- Allows teachers to show students the correct answers to questions and the class average in SMART Notebook SE.
- Allows teachers to import student responses from a USB storage device if there is a loss of network connectivity.
- Allows teachers to switch between SMART Response (with clickers for input) and SMART Response CE (with SMART Notebook SE for input) modes.

Software Component Version Numbers

Component	Version	Date (if applicable)
SMART Response CE	2.2.591.1	September 24, 2009
SMART Notebook	10.1.253.1	September 23, 2009
SMART Board drivers	10.0.392.6	July 23, 2009
SMART Notebook SE	1.6.191.0	August 10, 2009

Related Release Notes

- SMART Notebook 10, [document 126571](#)
- SMART Board drivers 10, [document 132754](#)
- SMART Notebook SE, [document 135223](#)

Contact Us

If you experience difficulty with your SMART product, please contact your local reseller before contacting SMART Technical Support. Your local reseller can resolve most issues without delay.

NOTE

To locate your local reseller, visit www2.smarttech.com/st/en-US/Where+to+Buy.

All SMART products include online, telephone, fax and e-mail support:

Online	www.smarttech.com/contactsupport
Telephone	+1.403.228.5940 or Toll Free 1.866.518.6791 (U.S./Canada) (Monday to Friday, 5 a.m. – 6 p.m. Mountain Time)
Fax	+1.403.806.1256
E-mail	support@smarttech.com

Feedback

Did this document provide the information you were looking for? If you have any questions or suggestions about how we can improve this or other SMART documents, please e-mail us at DocumentationFeedback@smarttech.com.