

SMART®



SMART Board® 7000 Pro series

Our flagship interactive display with the most advanced touch, writing and collaboration features for enhanced productivity and faster breakthroughs.

75" | 86"

Walk in and it turns on

Dual proximity sensors automatically power up the SMART Board 7000 when you walk in the room saving time.

As natural as writing on paper

HyPr Touch™ technology provides lag-free writing precision and automatically identifies pen color and eraser tool.

Easy input access and preview

See and switch input sources on the screen and easily connect computers and accessories to the front convenience panel.

1-YEAR

SMART Meeting Pro

subscription included
with service plan



Unparalleled Collaborative Experience

Today's workflows are about going beyond communicating to collaborating. SMART has spent 30 years designing hardware and software solutions that work together to create interactive environments.



Multiple users, tools and colors at the same time

Simultaneous Tool Differentiation frees multiple colleagues to write, erase and move notes at the same time. **Pen ID™** recognition and **Object awareness™** detection automatically make pens write in different colors, fingers move and palms erase.



Write and save notes directly into applications


SMART Ink® software lets teams write over videos and into **PDFs, Microsoft Office® files** and websites, then save notes in almost any file type. Automatically convert notes to text and access tools, such as spotlight, magnifier and screen shade.

Built to use. Built to last.

Durable and commercial-grade, SMART Board Pro displays have received many safety, regulatory and environmental certifications, giving you peace of mind that they adhere to government or other regulatory requirements.

-  4K Ultra HD resolution
-  ENERGY STAR® certification
-  Accelerated Life Testing
-  Conflict-free materials and sourcing
-  LED rated for 50,000 hours
-  Regulatory and environmental certifications*
-  Fully heat-tempered, anti-glare glass
-  3-year standard warranty** (1-year on pens)
-  Silktouch™ frictionless surface

*See specification chart for detailed certifications.
 **1- or 2-year extended options available. 5-year standard in UK.



SMART Remote Management lets you efficiently maintain, secure and support all your devices – including SMART Board displays with iQ.

Do More in Your Workspaces

Together with **SMART collaboration software** and **iQ embedded computing** options, SMART Board Pro displays enable fast, flexible and limitless collaboration.

SMART collaboration software is designed to give teams endless ways to brainstorm, innovate and share content.

SMART TeamWorks™ software

With one-touch meeting launch, a connected whiteboard, wireless screen sharing and PDF summaries, SMART TeamWorks is your end-to-end collaboration solution.

SMART Meeting Pro® software

Capture ideas in the Unbound Workspace that expands as colleagues add images, files, links and notes – even over multiple displays and meetings.

iQ embedded computing puts everything teams need in one place at the touch of a finger – without extra hardware or apps.



Android™ experience

iQ provides teams one-touch access to collaboration tools including a whiteboard, web browser, apps library and native, wireless screen sharing.




Windows® experience

Give your team access to Microsoft Office files and applications on a full Windows 10 Pro computer right at the display by adding an Intel® Compute Card to iQ.




Get the most out of your SMART solution

We're with you every step of the way. Our business services, training and technical support resources provide peace of mind that your technology investment will provide results.



Business Services

Maximize uptime and protect your investment with SMART's flexible, comprehensive business service plans to meet your unique support needs.



Training

From quick-reference guides to video tutorials, SMART offers a wealth of free training resources to ensure quick adoption of your technology solutions.



Technical Support

From our global installation services to onsite repair, receive expert support from SMART, with the experience and knowledge to ensure effective operations.

Authorized reseller:

SMART Technologies
smarttech.com/contact



| | 7275P | 7375P | 7286P | 7386P |
|---|---|---|---|---|
| SMART Meeting Pro 1 room and 10 personal licenses | 1-year subscription included with purchase of a service plan | 1-year subscription included with purchase of a service plan | 1-year subscription included with purchase of a service plan | 1-year subscription included with purchase of a service plan |
| SMART TeamWorks | Optional | Optional | Optional | Optional |
| iQ apps and features | Customizable home screen Input preview Digital whiteboard Web browser Native screen sharing File and app libraries | Customizable home screen Input preview Digital whiteboard Web browser Native screen sharing File and app libraries | Customizable home screen Input preview Digital whiteboard Web browser Native screen sharing File and app libraries | Customizable home screen Input preview Digital whiteboard Web browser Native screen sharing File and app libraries |
| Intel Compute Card with Windows 10 Pro | Upgrade option available | Included. Options available. See smarttech.com/iQ for details. | Upgrade option available | Included. Options available. See smarttech.com/iQ for details. |
| SMART Remote Management | Optional | Optional | Optional | Optional |
| DISPLAY | | | | |
| Screen size (diagonal) | 75" | 75" | 86" | 86" |
| Resolution | 4K Ultra HD (3840 × 2160) | 4K Ultra HD (3840 × 2160) | 4K Ultra HD (3840 × 2160) | 4K Ultra HD (3840 × 2160) |
| Refresh rate | 60 Hz | 60 Hz | 60 Hz | 60 Hz |
| Aspect ratio | 16:9 | 16:9 | 16:9 | 16:9 |
| Back lighting | e-LED | e-LED | e-LED | e-LED |
| LED lifespan | Commercial-grade – 50,000 hours | Commercial-grade – 50,000 hours | Commercial-grade – 50,000 hours | Commercial-grade – 50,000 hours |
| LCD quality | Grade A | Grade A | Grade A | Grade A |
| Contrast ratio | 5000:1 | 5000:1 | 5000:1 | 5000:1 |
| Brightness | 360 cd/m ² | 360 cd/m ² | 360 cd/m ² | 360 cd/m ² |
| Response time | 8 ms | 8 ms | 8 ms | 8 ms |
| Glass | Fully heat-tempered, anti-glare | Fully heat-tempered, anti-glare | Fully heat-tempered, anti-glare | Fully heat-tempered, anti-glare |
| TOUCH AND DIGITAL INK | | | | |
| Touch technology | HyPr Touch (based on InGlass™) | HyPr Touch (based on InGlass) | HyPr Touch (based on InGlass) | HyPr Touch (based on InGlass) |
| Simultaneous Tool Differentiation | ✓ | ✓ | ✓ | ✓ |
| Object awareness | ✓ | ✓ | ✓ | ✓ |
| Pen ID | ✓ | ✓ | ✓ | ✓ |
| SMART Ink | ✓ | ✓ | ✓ | ✓ |
| Silktouch | ✓ | ✓ | ✓ | ✓ |
| Simultaneous touch points | 16 (10 touch, 4 pens, 2 erasers) | 16 (10 touch, 4 pens, 2 erasers) | 16 (10 touch, 4 pens, 2 erasers) | 16 (10 touch, 4 pens, 2 erasers) |
| Tools included | 4 pens (black, red, blue, green) 1 eraser | 4 pens (black, red, blue, green) 1 eraser | 4 pens (black, red, blue, green) 1 eraser | 4 pens (black, red, blue, green) 1 eraser |
| Intelligent magnetic pen tray | ✓ | ✓ | ✓ | ✓ |
| iQ APPLIANCE | | | | |
| Model | AM40 | AM50 | AM40 | AM50 |
| Operating system | Android 7.1 Nougat | Android 7.1 Nougat | Android 7.1 Nougat | Android 7.1 Nougat |
| Processor | RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2 GHz | RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2 GHz | RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2 GHz | RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2 GHz |
| Memory | 4 GB | 4 GB | 4 GB | 4 GB |
| Storage | 32 GB | 32 GB | 32 GB | 32 GB |
| Wireless technology | Bluetooth 4.1 802.11A/B/G/N/Ac | Bluetooth 4.1 802.11A/B/G/N/Ac | Bluetooth 4.1 802.11A/B/G/N/Ac | Bluetooth 4.1 802.11A/B/G/N/Ac |
| Connectors | HDMI 1.4 out USB 3.0 Type-A (×2) RJ45 Gigabit Ethernet | HDMI 1.4 out USB 3.0 Type-A (×2) RJ45 Gigabit Ethernet | HDMI 1.4 out USB 3.0 Type-A (×2) RJ45 Gigabit Ethernet | HDMI 1.4 out USB 3.0 Type-A (×2) RJ45 Gigabit Ethernet |
| CONNECTIVITY | | | | |
| Wired | RJ45 (×2) | RJ45 (×2) | RJ45 (×2) | RJ45 (×2) |
| Wi-Fi | IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands) | IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands) | IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands) | IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands) |
| Bluetooth | 4.0 dual mode (backwards compatible with Bluetooth 2.1+ EDR) | 4.0 dual mode (backwards compatible with Bluetooth 2.1+ EDR) | 4.0 dual mode (backwards compatible with Bluetooth 2.1+ EDR) | 4.0 dual mode (backwards compatible with Bluetooth 2.1+ EDR) |
| INPUTS/OUTPUTS | | | | |
| Convenience panel | Power, volume, freeze frame, mute, USB-A (×2), USB-B (touch), HDMI in | Power, volume, freeze frame, mute, USB-A (×2), USB-B (touch), HDMI in | Power, volume, freeze frame, mute, USB-A (×2), USB-B (touch), HDMI in | Power, volume, freeze frame, mute, USB-A (×2), USB-B (touch), HDMI in |
| Video | HDMI 2.0 (4K 60 Hz), HDMI 1.4, HDMI out (HDCP-compliant), Display Port, VGA | HDMI 2.0 (4K 60 Hz), HDMI 1.4, HDMI out (HDCP-compliant), Display Port, VGA | HDMI 2.0 (4K 60 Hz), HDMI 1.4, HDMI out (HDCP-compliant), Display Port, VGA | HDMI 2.0 (4K 60 Hz), HDMI 1.4, HDMI out (HDCP-compliant), Display Port, VGA |
| Audio | Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out | Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out | Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out | Stereo 3.5 mm in, stereo 3.5 mm out, S/PDIF out |
| USB | Type-A (×3), Type-B (touch) (×4) | Type-A (×3), Type-B (touch) (×4) | Type-A (×3), Type-B (touch) (×4) | Type-A (×3), Type-B (touch) (×4) |
| Other | OPS slot, RS-232 in, RS-232 out | OPS slot, RS-232 in, RS-232 out | OPS slot, RS-232 in, RS-232 out | OPS slot, RS-232 in, RS-232 out |
| Speakers | 10 W integrated speakers (×2) | 10 W integrated speakers (×2) | 10 W integrated speakers (×2) | 10 W integrated speakers (×2) |
| POWER | | | | |
| Power consumption (display only) | <2 W standby, 135 W normal | <2 W standby, 135 W normal | <2 W standby, 160 W normal | <2 W standby, 160 W normal |
| ENERGY STAR certified | ✓ | ✓ | ✓ | ✓ |
| Presence detection | Dual sensors | Dual sensors | Dual sensors | Dual sensors |
| INSTALLATION | | | | |
| Dimensions | 69" × 43 1/8" × 4 7/8" (175.4 cm × 109.5 cm × 12.4 cm) | 69" × 43 1/8" × 4 7/8" (175.4 cm × 109.5 cm × 12.4 cm) | 78 3/4" × 48 5/8" × 5 5/8" (200.1 cm × 123.5 cm × 14.2 cm) | 78 3/4" × 48 5/8" × 5 5/8" (200.1 cm × 123.5 cm × 14.2 cm) |
| Weight | 227 lb. (103 kg) | 227 lb. (103 kg) | 258 lb. (117 kg) | 258 lb. (117 kg) |
| VESA mounting points | 600 mm × 400 mm | 600 mm × 400 mm | 600 mm × 400 mm | 600 mm × 400 mm |
| CERTIFICATIONS AND COMPLIANCE | | | | |
| Regulatory certifications | EU RED and LV Directives, ISED, cUL, FCC, UL, RCM, CITIC, TRA | EU RED and LV Directives, ISED, cUL, FCC, UL, RCM, CITIC, TRA | EU RED and LV Directives, ISED, cUL, FCC, UL, RCM, CITIC, TRA | EU RED and LV Directives, ISED, cUL, FCC, UL, RCM, CITIC, TRA |
| Environmental compliance | EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG Packaging, California Prop 65 | EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG Packaging, California Prop 65 | EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG Packaging, California Prop 65 | EU: REACH, RoHS, WEEE, Battery and Packaging; U.S.: CONEG Packaging, California Prop 65 |
| Full HDMI and USB compliance | ✓ | ✓ | ✓ | ✓ |
| Accelerated Life Testing | ✓ | ✓ | ✓ | ✓ |
| Conflict-free minerals and sourcing | ✓ | ✓ | ✓ | ✓ |