

SMART Board® Pro Displays for Business

Models and specifications may vary by region. Please contact your local representative for details.

| Software | GX series | MX Pro series | 6000S Pro series |
|---|--|--|--|
| SMART Meeting Pro® Room license | Optional | Included | Included |
| SMART Meeting Pro Personal license (×10) | Optional | Included | Included |
| SMART TeamWorks™ Room edition subscription | Optional | Optional | Optional |
| SMART Ink® and SMART Product Drivers | Included | Included | Included |
| Built-in features | Digital whiteboard Web browser Screen sharing Input select File manager Overlay Interactive widgets App library Google Drive™ and OneDrive™ access | SMART Whiteboard Native and app-based screen sharing Web browser Customizable home screen Live input preview File and app libraries Google Drive and OneDrive access | SMART Whiteboard Native and app-based screen sharing Web browser Customizable home screen Live input preview File and app libraries Google Drive and OneDrive access |
| Windows® Pro computing | Optional | Optional | Optional |
| SMART Remote Management | Optional | Subscription for length of the included warranty | Subscription for length of the included warranty |

| Display | GX series | MX Pro series | 6000S Pro series |
|---------------------------------------|--|--|--|
| Screen sizes (diagonal) | 65", 75", 86" | 55", 65", 75", 86" | 65", 75", 86" |
| Resolution | 4K UHD (3840 × 2160) | 4K UHD (3840 × 2160) | 4K UHD (3840 × 2160) |
| Refresh rate | 60 Hz | 60 Hz | 60 Hz |
| Lifespan | ≥ 50,000 hours | ≥ 50,000 hours | ≥ 50,000 hours |
| LCD quality | Grade A | Grade A | Grade A |
| Brightness (maximum) | ≥ 400 cd/m ² | 55": ≥ 300 cd/m ² 65", 75", 86": ≥ 400 cd/m ² | ≥ 350 cd/m ² |
| Response time | ≤ 8 ms | ≤ 8 ms | 65": ≤ 9 ms 75": ≤ 8 ms 86": ≤ 8 ms |
| Glass | Fully heat-tempered anti-glare glass that resists smudges and fingerprints | Fully heat-tempered, anti-glare, bonded glass | Fully heat-tempered anti-glare glass that resists smudges and fingerprints |
| Sensors | Ambient light, infrared | Ambient light, infrared | Proximity, ambient light, infrared, room temperature and humidity |
| Audio | 2 integrated 15 W speakers | 2 integrated 15 W speakers | 2 integrated 20 W speakers Integrated linear four-microphone array |
| Remote control | ✓ | ✓ | ✓ |
| NFC sign in to a SMART account | N/A | N/A | ✓ |
| Interactive experience | GX series | MX Pro series | 6000S Pro series |
| Touch technology | Advanced infrared | HyPr Touch with Advanced IR | HyPr Touch with InGlass™ |
| Tool Explorer™ | Not supported | Not supported | ✓ |

| | | | |
|--|---|--|--|
| Simultaneous tool differentiation | ✓ ¹ | ✓ | ✓ |
| Object Awareness™ | ✓ ² | ✓ | ✓ |
| Pen ID™ | Not supported | Not supported | ✓ |
| Silktouch™ | ✓ | ✓ | ✓ |
| Pressure-sensitive ink | Not supported | Not supported | ✓ |
| Frame rate | ≥ 110 Hz | 100 Hz | 150 Hz |
| Accuracy | ±1 mm | ±1 mm (over 90% area) | ±1 mm |
| Minimum object size | 2 mm | 3 mm | 2 mm |
| Multitouch capabilities | 20 – Windows and Mac 10 – Chrome OS™ | 20 – Windows and Mac 10 – Chrome OS | Up to 40 touch points (OS dependent) |
| Tools included | Pens (x2) | Pens (x2) | Pens (x2) Erasers (x2) |
| Tool holders | Magnetic, frame-mounted | Magnetic, frame-mounted | Intelligent, magnetic, frame-mounted |
| Build-in Android™ experience | GX series | MX Pro series | 6000S Pro series |
| Operating system | Android version 8.0 | Android version 9.0 (Automatic update to Android version 11 scheduled for the second half of 2022.) | Android version 9.0 (Automatic update to Android version 11 scheduled for the second half of 2022.) |
| Memory | 3 GB DDR | 6 GB DDR | 6 GB DDR |
| Storage | 32 GB | 32 GB | 32 GB |
| Updates | Over-the-air (OTA) | Automatic over-the-air (OTA) | Automatic over-the-air (OTA) |

¹A connected computer with SMART Product Drivers is required. Only supported in SMART Notebook and SMART Ink.

²When connected to a computer with SMART Product Drivers

| Network connectivity | GX series | MX Pro series | 6000S Pro series |
|---|--|--|--|
| Wired | RJ45 (x2) 100baseT | RJ45 (x2) 1000baseT | RJ45 (x2) 1000baseT |
| Wi-Fi | IEEE 802.11 a/b/g/n/ac with 2 x 2 MIMO (both 2.4 and 5 GHz bands) supporting WEP, WPA, WPA2 PSK, and 802.1X EAP authentication protocols | IEEE 802.11 a/b/g/n/ac with 2 x 2 MIMO (both 2.4 and 5 GHz bands) supporting WEP, WPA, WPA2 PSK, and 802.1X EAP authentication protocols | IEEE 802.11 a/b/g/n/ac with 2 x 2 MIMO (both 2.4 and 5 GHz bands) supporting WEP, WPA, WPA2 PSK, and 802.1X EAP authentication protocols |
| Bluetooth | 4.2 dual mode | 5.0 dual mode | 5.0 dual mode |
| Radio and Bluetooth restrictions? Learn more | | | |
| Inputs/outputs | GX series | MX Pro series | 6000S Pro series |
| Convenience buttons | Power, home, volume, settings / freeze frame, back | Power, home, volume, input select, screen shade, freeze frame | Power, home, volume, screen shade, freeze frame |
| Inputs | HDMI® 2.0 x3 (HDCP 1.4 and 2.2), Display Port, VGA, YPbPr 3.5 mm, AV 3.5 mm, Stereo 3.5 mm, RS-232, RJ45 x2, USB Type-C, USB-A 2.0 x3, USB-A 3.0, USB-B 2.0 x2 | HDMI 2.0 x3 (HDCP 1.4 and 2.2), VGA, Stereo 3.5 mm, RS-232, RJ45 x2, USB-C x2, USB-A 2.0 x1, USB-A 3.0 x3, USB-B 3.0 x4 | HDMI 2.1 x3 (HDCP 1.4 and 2.3), VGA, Stereo 3.5 mm, RS-232, RJ45 x2, USB-A 2.0, USB-B 2.0, USB-A 3.0 x3, USB-B 3.0 x3, USB-C x2 |
| Outputs | AV 3.5 mm, S/PDIF, Stereo 3.5 mm | Stereo 3.5 mm, S/PDIF, RS-232 | HDMI 2.1 (HDCP 2.3), Stereo 3.5 mm, S/PDIF |
| OPS support | ✓ | ✓ | ✓ |
| Installation | GX series | MX Pro series | 6000S Pro series |
| VESA mounting points | ✓ | ✓ | ✓ |
| Mini-VESA mount point for NUC | N/A | N/A | ✓ |
| Wall mount bracket | Optional | ✓ | ✓ |

| Certification and compliance³ | GX series | MX Pro series | 6000S Pro series |
|---|---|---|---|
| US / Canada | UL, FCC, ISED, TSCA, CONEG Packaging, Proposition 65 | UL, FCC, ISED, TSCA, CONEG Packaging, Proposition 65 | UL, FCC, ISED, TSCA, CONEG Packaging, Proposition 65 |
| EU / EEA / EFTA / UK | CE, UKCA, LVD, CB, EMCD, RED, REACH, RoHS, Battery, WEEE, Packaging, POP, Ecodesign | CE, UKCA, LVD, CB, EMCD, RED, REACH, RoHS, Battery, WEEE, Packaging, POP, Ecodesign | CE, UKCA, LVD, CB, EMCD, RED, REACH, RoHS, Battery, WEEE, Packaging, POP, Ecodesign |
| Australia / New Zealand | RCM | RCM | RCM |
| Performance standards | ENERGY STAR, HDMI | ENERGY STAR, HDMI | ENERGY STAR, HDMI |
| Warranty | GX series | MX Pro series | 6000S Pro series |
| SMART Assure or limited equipment warranty | Included. See smarttech.com/warranty for details. | Included. See smarttech.com/warranty for details. | Included. See smarttech.com/warranty for details. |

³Product availability may vary by region.

These products have received additional certifications not listed here.